

PIXMA MG7550

Your passion in print

Experience the power to express your passion for photography in stunning prints. Connect easily direct to smart devices and the cloud, and enjoy intuitive touch control with this Premium 6-ink Wi-Fi All-in-One.



PIXMA MG7550
you can

- Express your passion. Print, copy and scan with ease using a powerful Photo All-in-One
- Connect the way you want thanks to Wi-Fi, Ethernet and NFC
- Experience the creative freedom of cloud printing and scanning with PIXMA Cloud Link
- Get ready to effortlessly print and scan from smart devices with NFC using PIXMA Touch & Print
- Create superfast premium quality prints you'll be proud to display
- Only change the ink that runs out. 6 single inks include grey for superb B&W photos
- Print more for less with XL ink options
- Enjoy intuitive touch screen operation with large touch panel and colour screen
- Have fun creating personalised greeting cards and more with Easy Photo Print+
- Reduce paper usage with auto 2-sided printing

Product Range



PIXMA MG7550



PIXMA MG6650



PIXMA MG5650

PIXMA MG7550

PIXMA MG6650
PIXMA MG5650
PIXMA MG2950

Canon



6 Single Inks



PIXMA XL Inks



Wi-Fi CERTIFIED



PIXMA Cloud Link



AirPrint



Intelligent Touch System



3.5 Type (8.9cm) TFT



PIXMA Touch & Print

Technical Specifications

PIXMA MG7550

GENERAL SPECIFICATIONS	
Functions	Wireless / Ethernet, Print, Copy, Scan, Cloud Link
PRINTER SPECIFICATIONS	
Print Resolution	Up to 9600 ^[1] x 2400 dpi
Print Technology	6 Individual Ink Tanks (PGBK, BK, C, M, Y, GY) Inkjet FINE print head with 1pl (min.) ink droplet size ChromaLife100+ inks
Mono Print Speed	Approx. 15.0 ipm ^[2]
Colour Print Speed	Approx. 10.0 ipm ^[2]
Photo Print Speed	Borderless 10x15cm : Approx. 21 seconds ^[3]
Borderless Printing	Yes (A4, Letter, 20x25cm, 13x18cm, 10x15cm)
Two Sided Printing	Auto Duplex Print (A4, A5, B5, Letter - plain paper)
Direct Disc Printing	Yes (software included)
CARTRIDGES AND YIELDS	
Standard Ink Cartridges	6 individual ink tanks PGI-550PGBK (Pigment Black) CLI-551BK (Black) CLI-551C (Cyan) CLI-551M (Magenta) CLI-551Y (Yellow) CLI-551GY (Grey)
Optional XL Ink Cartridges	High yield XL ink tanks PGI-550PGBK XL (Pigment Black) CLI-551BK XL (Black) CLI-551C XL (Cyan) CLI-551M XL (Magenta) CLI-551Y XL (Yellow) CLI-551GY XL (Grey)
Ink Tanks Yield (Plain paper)	A4 Colour Document ^[4] Pigment Black: 300 pages Pigment Black XL: 500 pages Black: 1105* pages Black XL: 4425* pages Cyan: 304 pages Cyan XL: 665 pages Magenta: 298 pages Magenta XL: 660 pages Yellow: 330 pages Yellow XL: 685 pages Grey: 780* pages Grey XL: 3350* pages * Estimated supplemental yield
Ink Tanks Yield (Photo print)	10x15cm photo ^[5] Pigment Black: 3050* photos Pigment Black XL: 3900* photos Black: 495* photos Black XL: 1125* photos Cyan: 168 photos Cyan XL: 369 photos Magenta: 168 photos Magenta XL: 369 photos Yellow: 168 photos Yellow XL: 359 photos Grey: 125 photos Grey XL: 275 photos * Estimated supplemental yield
PAPER SUPPORT	
Paper Types	Plain Paper Envelopes Canon Pro Platinum (PT-101) Canon Pro Luster (LU-101)

Maximum Paper Input	Canon Plus Glossy II (PP-201) Cano Plus Semi-gloss (SG-201) Canon "Everyday Use" (GP-501) Canon Matte (MP-101) Canon High Resolution Paper (HR-101N) Canon Photo Stickers (PS-101) Canon T-Shirt Transfer (TR-301) Other Fine Art Papers Printable Discs
Paper Sizes	Lower cassette: Max. 125 sheets (plain paper) Upper cassette: Max. 20 sheets (photo paper) Direct Disc Print Tray: 1 printable CD, DVD or Blu-Ray Disc
Paper Weight	Lower cassette: A4, A5, B5, Letter, Legal, Envelopes (DL size or Commercial 10), 20x25cm Upper cassette: 10x15cm, 13x18cm Lower cassette: Plain paper 64 - 105 g/m ² , Canon photo paper up to 300 g/m ² Upper cassette: Canon photo paper up to 300 g/m ²
SCANNER SPECIFICATIONS	
Scanner Type	CIS flatbed photo and document scanner
Scanner Resolution (Optical)	2400 x 4800 dpi ^[6]
A4 Scan Speed	Approx. 14 sec ^[7]
Scanning Depth (Input / Output)	Colour: 48 bit / 24 bit Greyscale: 16 bit / 8 bit
Maximum Document Size	216 x 297 mm
COPIER SPECIFICATIONS	
Copy Speed	sFCOT: Approx. 19 sec ^[8] sESAT: Approx. 7.7 ipm ^[8]
Multiple Copy	1-99 copies
Copy Functions	Document Copying, Photo Copying, Borderless copy, 2-sided copy, 2-on-1 and 4-on-1 copy, Frame erase copy, Disc Label Copy
Copy Zoom	25 - 400% (in 1% increments) Fit to page A5 to A4, B5 to A4, A4 to A5 and A4 to B5
INTERFACE	
Display Type & Size	8.8cm touch screen with Intelligent Touch System panel
Display Languages	30 Languages Selectable: English/German/French/Italian/Spanish/Dutch/Portuguese/Norwegian/Swedish/Danish/Finnish/Russian/Czech/Hungarian/Polish/Slovene/Turkish/Greek/Slovakian/Estonian/Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian/Japanese/Simplified Chinese/Traditional Chinese/Korean/Indonesian
Interface Type - PC / Mac	Hi-Speed USB (B Port) Ethernet: 10/100Mbps (auto switchable) Wi-Fi: IEEE802.11 b/g/n Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password
Interface Type - Other	PIXMA Touch & Print (NFC - Active Tag) PIXMA Cloud Link PIXMA Printing Solutions app Canon Print Service Plugin (Android) Google Cloud Print Apple AirPrint Print from Email Access point mode WLAN PictBridge Memory Card Slots Mopria Print Service (Android)
Compatible Memory Cards	SD Card, SDHC Card, Memory Stick Duo, Memory Stick PRO Duo, Memory Stick Micro*, mini SD Card*, micro SD Card*, mini SDHC Card*, micro SDHC Card* *Using recommended adapter - not supplied

Technical Specifications

PIXMA MG7550

SOFTWARE	
Supported Operating Systems	Windows 8.1 / 8 / 7 / Vista SP1 & SP2 / XP SP3 32-bit Mac OS X v10.6.8 or later
Supported Mobile Systems	iOS Android Windows RT
Minimum System Requirements	Windows: 3GB disk space, Internet Explorer 8 Mac: Internet connection, 1.5GB disk space, Safari 5 Display: 1024 x 768 XGA
Software Included	MP Driver including Scanning Utility My Image Garden with Full HD Movie Print ^[9] Quick Menu Easy-WebPrint EX (download) ^[10]
PHYSICAL FEATURES	
Weight	Approx. 7.9 kg
Dimensions (W x D x H)	435x 370 x 148mm
Acoustic Noise Levels	Approx. 44.0 dB ^[11]
Recommended Operating Environment	Temperature: 15-30°C Humidity: 10-80%RH (no dew condensation)
Power Source	AC 100-240V, 50/60Hz
Power Consumption	Standby: Approx. 1.0 W (scanning lamp off) Off: Approx. 0.2 W Copying: Approx. 17 W ^[12]

Footnotes

- [1] Ink droplets can be placed with a minimum pitch of 1/9600 inch
- [2] Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734.
- [3] Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- [4] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
- [5] Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.
- [6] Optical resolution is a measure of maximum hardware sampling resolution based on ISO 14473 standard. When scanning in high resolution, the maximum scan size is restricted.
- [7] Colour document scan speed is measured with ISO/IEC 24735 Annex C Test Chart A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off.
- [8] Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard.
- [9] Full HD Movie Print is available for MOV and MP4 movie files created by select Canon digital cameras and camcorders. Requires installation of software bundled with Canon video or digital camera, from which the movie was captured. MOV files require: ZoomBrowser EX / ImageBrowser (version 6.5 or later), MP4 files require: ImageBrowser EX (version 1.0 or later).
- [10] Easy-WebPrint EX requires Internet Explorer 8 or later
- [11] When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings.
- [12] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

Standard disclaimers

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield

Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.

Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.

All brand and product names are trademarks of their respective companies.

Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

PIXMA MG7550

Your passion in print

Experience the power to express your passion for photography in stunning prints. Connect easily direct to smart devices and the cloud, and enjoy intuitive touch control with this Premium 6-ink Wi-Fi All-in-One.



Positioning: Designed for those who want to express and share their passion for photography

Sales start date: October, 2014

Product Details:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
MG7550 BK EUR	9489B006AA	4549292008500	<Please fill in RRP>
MG7550 WH EUR	9489B026AA	4549292008807	<Please fill in RRP>
MG7550 OR EUR	9489B046AA	4549292009064	<Please fill in RRP>
MG7550 BK GB	9489B008AA	4549292008579	<Please fill in RRP>
MG7550 WH GB	9489B028AA	4549292008838	<Please fill in RRP>
MG7550 OR GB	9489B048AA	4549292009088	<Please fill in RRP>

Product Codes for Consumables:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PGI-550XL PGBK	6431B001AA	4960999904504	<Please fill in RRP>
CLI-551XL BK	6443B001AA	4960999904948	<Please fill in RRP>
CLI-551XL C	6444B001AA	4960999904931	<Please fill in RRP>
CLI-551XL M	6445B001AA	4960999904924	<Please fill in RRP>
CLI-551XL Y	6446B001AA	4960999904917	<Please fill in RRP>
CLI-551XL GY	6447B001AA	4960999904542	<Please fill in RRP>

Measurement / Logistic Information:

Package Style	Q'ty of the item	Dimensions (L x W x H in mm)	Weight (Net / Gross in kg)
Individual	1	522.5 x 219.5 x 480.5	9.48 / 7.84
Pallet (Upper)	20	1,103.5 x 1,051 x 965	191.21 / 189.5
Pallet (Bottom)	20	1,103.5 x 1,051 x 965	191.21 / 189.5

What's in the box?

- All-In-One printer - PIXMA MG7550
- Setup Ink Tanks
- Power cord
- Setup CD-ROM (CD only for Windows - Mac drivers available online)
- CD Printing Tray
- Manuals and other documents