EPSON STYLUS OFFICE BX610FW

This high-performance 4-in-1 has integrated Wi-Fi and Ethernet networking, a 6.3 cm LCD viewer and a 30 page Automatic Document Feeder (ADF). It's the easy, affordable way to print, copy, scan and fax all your business documents.

- Maximum print speeds of up to 38 ppm and business quality speeds up to 15 ppm in black and 9.3 ppm in colour (ISO/IEC 24734)*9
- The 6.3 cm viewer makes it easy to navigate through menus and functions
- Copy, scan and fax large documents quickly, with the 30 page ADF
- Send faxes directly from your PC over the network
- Launch Epson Scan software at the touch of a button, and save your scans anywhere on the network
- Presto! PageManager[®], including OCR software is the quick, efficient way for the whole office to manage and share documents
- High capacity individual ink cartridges deliver a low cost per page comparable to a laser printer, whilst the XL black cartridge prints over 4 times more pages*⁸

FACTSHEET

Launch RRP inc VAT: £179.99 Launch date: 1 September 2009

EPSON DURABRITE ULTRA INK

Great, long lasting and durable results on a wide range of media.

- High-quality prints with laser-like text
- Brilliant colours to print professional documents, charts and graphics
- Resin-coated pigment technology prints on a wider choice of media
- Instant-drying, water, smudge and highlighter resistant











PRODUCT LOGISTICS INFORMATION

DESCRIPTION	PALLET QUANTITY	COUNTRY OF ORIGIN	SKU DESCRIPTION	SKU CODE	EAN BARCODE
Epson Stylus Office BX610FW	28	Indonesia	Stylus Office BX610FW EUL 240V	C11CA50331	8715946428949
PRODUCT DETAILS Dimensions WxDxH Weight	461x346x236 mm 8.3 kg (excluding ink cartridges and power cable)				
PACKAGED DETAILS Dimensions WxDxH Weight	535x435x297 mm 10.5 kg				
EXTENDED WARRANTY OPTION	1 year standard warranty Optional extension to 3 years subject to availability				

RECOMMENDED SYSTEM REQUIREMENTS

DESCRIPTION	PROCESSOR	RAM	HARD DISK SPACE	INTERFACE
Microsoft® Windows® 2000	1GHz	512MB	800MB	
Microsoft® Windows® XP	1GHz	512MB	800MB	
Microsoft® Windows® XP Professional x64 Edition	*3	*3	800MB	USB 2.0 IEEE 802.3
Microsoft® Windows Vista®	*3	*3	800MB	(100BASE -TX /10BASE-T)
Mac OS [®] X 10.3.9 or 10.4.x*4	PowerPC G4 1.67GHz or Intel CPU*5	512MB	800MB	IEEE 802.11b/g
Mac OS [®] X 10.5.x*4	PowerPC G5 2GHz or Intel CPU*5	1GB	800MB	

WHAT'S IN THE BOX

- Epson Stylus Office BX610FW printer
- 4 individual ink cartridges
- Power cable
- Phone cable
- USB cable
- LAN cable
- 'Start here' guide
- Software CD Rom
- Basic operations guide
- Fax guide
- Networking guide
- Warranty document
- Presto! PageManager® 8 CD

INK CARTRIDGES

	BLACK	CYAN	MAGENTA	YELLOW	MULTIPACK
Recommended ink cartridges*1	● T1001	• T1002	• T1003	<mark>-</mark> T1004	••• T1006
Also available	● T0711 ●● T0711H	• T0712	● T0713	<mark>-</mark> T0714	● ●● T0715

For full cartridge specifications, please request an ink factsheet from your Epson representative.

FOR THE BEST RESULTS ALWAYS USE GENUINE EPSON INK AND PAPER.

PAPER

Epson's Micro Piezo[™] inkjet technology gives great results on a wide range of paper types, giving you the flexibility to print whatever you want. And Epson produces a range of paper to help you do this, from A4 inkjet paper through to glossy photo paper in a variety of sizes.



PRODUCT SPECIFICATIONS

EPSON STYLUS OFFICE BX610FW

PRINT TECHNOLOGY Printing method Nozzle configuration Droplet size Ink system	4-colour inkjet printer, Epson Micro Piezo™ print head 384 nozzles black/128 nozzles, each colour (cyan, magenta, yellow) 2 pl (minimum) with Variable-sized Droplet Technology Epson DURABrite Ultra Ink		
PRINT RESOLUTION	Up to 5760x1440 optimised dpi on suitable media using RPM (Resolution Performance Management)		
PRINT SPEED Draft black text A4 Draft colour text A4 Business quality black A4 Business quality colour A4 Photo 10x15 cm	Up to 38 ppm*2 Up to 38 ppm*2 Up to 15 ppm (ISO/IEC 24734)*9 Up to 9.3 ppm (ISO/IEC 24734)*9 Approx 20 secs*2		
SCANNING Resolution Technology Sensor type	2400x2400 dpi A4 flatbed colour image scanner CIS		
STAND ALONE FUNCTIONS LCD screen Supported memory cards	6.3 cm colour Compact Flash (Memory card only), MicroDrive, Memory Stick, Memory Stick Duo ^{*6} , MagicGate Memory Stick, MagicGate Memory Stick Duo ^{*6} , Memory Stick PRO, Memory Stick PRO Duo ^{*6} , SD, SDHC, MiniSDH ^{*6} , MiniSDHC ^{*6} , MicroSD ^{*6} , MicroSDHC ^{*6} , Multi Media Card, xD-Picture card, xD-Picture card Type-M, xD-Picture card Type-H		
INTERFACE USB Wi-Fi Ethernet Other	Hi-Speed USB – Compatible with USB 2.0 specification Wireless LAN IEEE 802.11b/g Wired LAN IEEE 802.3 (100BASE-TX, 10BASE-T) PictBridge Optional Bluetooth adaptor (Code: C12C824383)		
WIRELESS SECURITY	WEP – 64bit WEP – 128bit WPA – PSK (TKIP) – compliant with WPA2 WPA – PSK (AES) – compliant with WPA2		
FAX FUNCTIONALITY Type of fax Speed Transmission speed Page memory Resolution Speed dials Group dial Automatic redial PC fax	Walk-up black and white and colour fax capability Up to 33.6 kbps Approx. 3 seconds/page Up to 180 pages Standard (200x100), Fine (200x200) Yes 60 names & numbers Yes Yes		
ADF FUNCTION Maximum document size Paper type Paper thickness Maximum number of pages	A4 Plain paper only 60-95 g/m² 30 (based on Xerox-P 64 g/m²)		
PAPER HANDLING Capacity Media size Print margin	Input: 120 sheets A4 plain paper (64 g/m ²) A4, Letter, Legal, 20x25 cm, 13x20 cm, 13x18 cm, 10x15 cm, 9x13 cm, A5, A6, B5, Envelopes: No.10, DL, C6 0 mm top, left, right, bottom via custom settings in printer driver* ⁷		
INK CARTRIDGES Recommended ink cartridges*1 Also available	4 individual ink cartridges Black Cyan Magenta Yellow T1001 T1002 T1003 T1004 T0711 T0712 T0713 T0714 T0711H T0714 T0714 T0714		
ELECTRICAL SPECIFICATION Power consumption	Approx. 15W (Standalone copying, ISO10561 Letter Pattern) Approx 3.1W (sleep mode) ENERGY STAR® qualified 4-in-1 AC 220-240V		
OPERATING SPECIFICATION			
WARRANTY	Windows 2000/XP/XP-x64/Vista, Mac OS 10.3.9 or later 1 year standard warranty		
	Optional extension to 3 years subject to availability		
GENERAL Dimensions (WxDxH) Including Carton Box Weight Dimensions (WxDxH) Excluding Carton Box Weight Noise level	535x435x297 mm 10.5 kg 461x346x236 mm 8.3 kg (excluding ink cartridges and power cable) 5.2 B (A) (according to ISO7779 pattern with Epson Premium Glossy Photo Paper/Photo RPM mode)		
SOFTWARE	Epson Easy Photo Print Epson Event Manager Epson NetEasy setup Epson Web-To-Page (Not compatible with Windows Vista, XP x64 and Mac OS X) Prestol PageManager® 8		





Web:

For full report see www.epson-europe.com



For more information please contact

Telephone: 0871 222 6702 (UK)

0871 222 6740

01 436 7742 (Republic of Ireland) enquiries@epson.co.uk etalk.epson-europe.com



Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.



E-mail: Chat: Fax