


# PIXMA MG7750

## Smart printing for connected people

Premium All-In-One that uses a 6-ink system to print stunning photos without compromising on speed or quality. Connect to smart devices and the cloud via intuitive touch controls.



- Print borderless photos superfast and in premium quality with Canon's FINE technology, 9,600 dpi resolution and 6 single inks
- Quickly and effortlessly print and scan from smart devices with the Canon PRINT app using NFC and Wi-Fi Direct®
- Experience the creative freedom of cloud printing and scanning with enhanced PIXMA Cloud Link
- Only change the colour that runs out with individual ink tanks plus print and save using optional XL inks and auto 2-sided printing
- Enjoy simple and intuitive fingertip control with large touch panel and 8.8 cm colour touch screen

### Product Range



PIXMA MG7750 Series



PIXMA MG6850 Series



PIXMA MG5750 Series

### PIXMA MG7750 Series

PIXMA MG6850 Series

PIXMA MG5750 Series

PIXMA MG4250

PIXMA MG3650

PIXMA MG2950

PIXMA MG2450

PIXMA MG2550

## Technical Specifications

### GENERAL SPECIFICATIONS

#### Functions

Wireless / Ethernet, Print, Copy, Scan, Cloud Link

### PRINTER SPECIFICATIONS

#### Print Resolution

Up to 9600<sup>[1]</sup> x 2400 dpi

#### Print Technology

6 Individual Ink Tanks (PGBK, BK, C, M, Y, GY)  
Inkjet FINE print head with 1pl (min.) ink droplet size  
ChromaLife100 inks

#### Mono Print Speed

Approx. 15.0 ipm<sup>[2]</sup>

#### Colour Print Speed

Approx. 10.0 ipm<sup>[2]</sup>

#### Photo Print Speed

Borderless 10 x 15 cm : Approx. 21 seconds<sup>[3]</sup>

#### Borderless Printing

Yes (A4, Letter, 20 x 25 cm, 13 x 18 cm,  
10 x 15 cm)

#### Two Sided Printing

Auto Duplex Print (A4, A5, B5, Letter - plain paper)

#### Direct Disc Printing

Yes (software included)

### CARTRIDGES AND YIELDS

#### Standard Ink Cartridges

6 individual ink tanks  
PGI-570PGBK (Pigment Black)  
CLI-571BK (Black)  
CLI-571C (Cyan)  
CLI-571M (Magenta)  
CLI-571Y (Yellow)  
CLI-571GY (Grey)

#### Optional XL Ink Cartridges

High yield XL ink tanks  
PGI-570PGBK XL (Pigment Black)  
CLI-571BK XL (Black)  
CLI-571C XL (Cyan)  
CLI-571M XL (Magenta)  
CLI-571Y XL (Yellow)  
CLI-571GY XL (Grey)

#### Ink Tanks Yield (Plain paper)

A4 Colour Document<sup>[4]</sup>  
Pigment Black: 300 pages  
Pigment Black XL: 500 pages  
Black: 1105\* pages  
Black XL: 4425\* pages  
Cyan: 311 pages  
Cyan XL: 680 pages  
Magenta: 297 pages  
Magenta XL: 650 pages  
Yellow: 323 pages  
Yellow XL: 680 pages  
Grey: 780\* pages  
Grey XL: 3350\* pages

#### Ink Tanks Yield (Photo print)

\* Estimated supplemental yield  
10 x 15 cm photo<sup>[5]</sup>  
Pigment Black: 3050\* photos  
Pigment Black XL: 3900\* photos  
Black: 398\* photos  
Black XL: 895\* photos  
Cyan: 173 photos  
Cyan XL: 375 photos  
Magenta: 182 photos  
Magenta XL: 400 photos  
Yellow: 161 photos  
Yellow XL: 336 photos  
Grey: 125 photos  
Grey XL: 289 photos

\* Estimated supplemental yield

### PAPER SUPPORT

#### Paper Types

Plain Paper  
Envelopes  
Canon Pro Platinum (PT-101)  
Canon Pro Luster (LU-101)  
Canon Plus Glossy II (PP-201)  
Canon Plus Semi-gloss (SG-201)  
Canon "Everyday Use" (GP-501)  
Canon Matte (MP-101)  
Canon High Resolution Paper (HR-101N)  
Canon Photo Stickers (PS-101)  
Canon T-Shirt Transfer (TR-301)  
Other Fine Art Papers  
Printable Discs

#### Maximum Paper Input

Lower cassette: Max. 125 sheets (plain paper)  
Upper cassette: Max. 20 sheets (photo paper)  
Direct Disc Print Tray: 1 printable CD, DVD or Blu-Ray Disc

#### Paper Sizes

Lower cassette: A4, A5, B5, Letter, Legal, Envelopes (DL size or Commercial 10), 20 x 25 cm  
Upper cassette: 10 x 15 cm, 13 x 18 cm

#### Paper Weight

Lower cassette: Plain paper 64 - 105 g/m<sup>2</sup>, Canon photo paper up to 300 g/m<sup>2</sup>  
Upper cassette: Canon photo paper up to 300 g/m<sup>2</sup>

### SCANNER SPECIFICATIONS

#### Scanner Type

CIS flatbed photo and document scanner

#### Scanner Resolution (Optical)

2400 x 4800 dpi<sup>[6]</sup>

#### A4 Scan Speed

Approx. 14 sec<sup>[7]</sup>

#### Scanning Depth (Input / Output)

Colour: 48 bit / 24 bit  
Greyscale: 16 bit / 8 bit

#### Maximum Document Size

216 x 297 mm

### COPIER SPECIFICATIONS

#### Copy Speed

sFCOT: Approx. 19 sec<sup>[8]</sup>  
sESAT: Approx. 7.7 ipm<sup>[8]</sup>

#### Multiple Copy

99 copies max.

#### Copy Functions

Document Copying, Photo Copying, Borderless copy, 2-sided copy, 2-on-1 and 4-on-1 copy, Frame erase copy, Disc Label Copy

#### Copy Zoom

25 - 400% (in 1% increments)  
Fit to page  
A5 to A4, B5 to A4, A4 to A5 and A4 to B5

### INTERFACE

#### Display Type & Size

8.8 cm LCD (TFT colour / Touch)

#### Display Languages

33 Languages Selectable: Japanese / English (mm & inch) / German / French / Italian / Spanish / Dutch / Portuguese / Norwegian / Swedish / Danish / Finnish / Russian / Czech / Hungarian / Polish / Slovene / Turkish / Greek / Simplified Chinese / Traditional Chinese / Korean / Indonesian / Slovakian / Estonian / Latvian / Lithuanian / Ukrainian / Romanian / Bulgarian / Thai / Croatian / Vietnamese

#### Interface Type - PC / Mac

Hi-Speed USB (B Port)  
Ethernet: 10/100Mbps (auto switchable)  
Wi-Fi: IEEE802.11 b / g / n  
Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password

## Technical Specifications

### Interface Type - Other

PIXMA Touch & Print (NFC - Active Tag)  
PIXMA Cloud Link  
Canon PRINT Inkjet/SELPHY app  
Canon Print Service Plugin (Android)  
Google Cloud Print  
Apple AirPrint  
Wi-Fi Direct  
Access Point Mode  
WLAN PictBridge  
Memory Card Slots  
Mopria (Android)

### Compatible Memory Cards

SD Card, SDHC Card, Memory Stick Duo, Memory Stick PRO Duo, Memory Stick Micro\*, mini SD Card\*, micro SD Card\*, mini SDHC Card\*, micro SDHC Card\*  
\*Using recommended adapter - not supplied

### SOFTWARE

#### Supported Operating Systems

Windows 8.1 (including Windows 8.1 Update), Windows 8  
Windows 7, Windows 7 SP1  
Windows Vista SP2  
Windows XP SP3 (32 bit only)  
Note: For Windows, .NET Framework 4 or .NET Framework 4.5 is required.  
For Windows XP, XPS Essentials Pack is required.  
Mac OS X v10.7.5 to Mac OS X v10.10

#### Supported Mobile Systems

iOS  
Android

#### Minimum System Requirements

Windows: 3GB disk space, Internet Explorer 8  
Mac: Internet connection, 1.5GB disk space, Safari 5  
Display: 1024 x 768 XGA

#### Software Included

MP Driver including Scanning Utility  
My Image Garden with Full HD Movie Print<sup>[9]</sup>  
Quick Menu  
Easy-WebPrint EX (download)<sup>[10]</sup>

### PHYSICAL FEATURES

#### Weight

approx. 7.9 kg

#### Dimensions (W x D x H)

approx. 435 mm x 370 mm x 148 mm

#### Acoustic Noise Levels

approx. 41.5dB(A)<sup>[11]</sup>

#### Recommended Operating Environment

Temperature: 15-30°C  
Humidity: 10-80%RH (no dew condensation)

#### Power Source

AC 100-240V, 50/60Hz

#### Power Consumption

Off: Approx. 0.2 W  
Standby (connected to PC via USB): Approx. 0.9 W (scanning lamp off)  
Standby (all ports connected): Approx. 1.6 W (scanning lamp is off)  
Time to enter Standby mode: 7 minutes  
Copying: Approx. 15 W<sup>[12]</sup>

### Footnotes

- [1] Ink droplets can be placed with a minimum pitch of 1/9600 inch
- [2] Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734.
- [3] Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- [4] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
- [5] Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.
- [6] Optical resolution is a measure of maximum hardware sampling resolution based on ISO 14473 standard. When scanning in high resolution, the maximum scan size is restricted.
- [7] Colour document scan speed is measured with ISO/IEC 24735 Annex C Test Chart A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off.
- [8] Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard.
- [9] Full HD Movie Print is available for MOV and MP4 movie files created by select Canon digital cameras and camcorders. Requires installation of software bundled with Canon video or digital camera, from which the movie was captured. MOV files require: ZoomBrowser EX / ImageBrowser (version 6.5 or later). MP4 files require: ImageBrowser EX (version 1.0 or later).
- [10] Easy-WebPrint EX requires Internet Explorer 8 or later
- [11] When printing ISO/JIS-SCID N2 pattern on 10 x 15 cm Photo Paper Plus Glossy II using default settings.
- [12] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

### Standard disclaimers

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

Ink yield may vary depending on texts / photos printed, applications software used, print mode and type of paper used. For yield information see [www.canon-europe.com/ink/yield](http://www.canon-europe.com/ink/yield)  
Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.

Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.

All brand and product names are trademarks of their respective companies.

Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and / or other countries.

# PIXMA MG7750

## Smart printing for connected people

Premium All-In-One that uses a 6-ink system to print stunning photos without compromising on speed or quality. Connect to smart devices and the cloud via intuitive touch controls.



Sales Start Date: Sep, 2015

### Product Details:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA MG7750 Black	0596C006AA	4549292038651	£169.99 / €199.99

### Ink Consumables:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PGI-570 PGBK	0372C001AA	4549292032918	TBC
CLI-571 BK	0385C001AA	4549292032932	TBC
CLI-571 C	0386C001AA	4549292032949	TBC
CLI-571 M	0387C001AA	4549292032963	TBC
CLI-571 Y	0388C001AA	4549292032970	TBC
CLI-571 GY	0389C001AA	4549292032994	TBC

### Optional Ink Consumables:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PGI-570XL PGBK	0318C001AA	4549292032826	TBC
CLI-571XL BK	0331C001AA	4549292032840	TBC
CLI-571XL C	0332C001AA	4549292032857	TBC
CLI-571XL M	0333C001AA	4549292032871	TBC
CLI-571XL Y	0334C001AA	4549292032888	TBC
CLI-571XL GY	0335C001AA	4549292032901	TBC

# PIXMA MG7750

## Smart printing for connected people

Premium All-In-One that uses a 6-ink system to print stunning photos without compromising on speed or quality. Connect to smart devices and the cloud via intuitive touch controls.



Sales Start Date: Sep, 2015

### Measurement / Logistic Information:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Net Weight (kg)	Gross Weight (kg)
PIXMA MG7750 Black	0596C006AA	EA	Each	1	522.5	219.5	480.5	7.84	9.48
		CT	Carton	20	1103.5	1051	965	189.5	191.21
		EP	Euro Pallet	20	1103.5	1051	965	189.5	191.21

### What's in the box?

- All-In-One printer – PIXMA MG7750
- Setup Ink Tanks
- Power cord
- Setup CD-ROM (CD only for Windows – Mac drivers available online)
- Matte Photo Paper MP-101 (for auto print head alignment)
- Manuals and other documents