



## PIXMA MX725

Premium, high productivity 5-ink, All-In-One with Ethernet and Wi-Fi

A premium 5-ink wireless All-In-One featuring Ethernet, mobile and cloud connectivity plus a 35 sheet 2-sided ADF for highly productive printing, scanning, copying and faxing at home or in the office.



PIXMA MX725

**you can**

- Premium 5-ink All-In-One: print, copy, scan and fax
- Productive 250-sheet paper cassette and 2-sided 35 sheet ADF
- Easy to share around the office with Wi-Fi and Ethernet connectivity
- Print from, and scan to mobile devices with PIXMA Printing Solutions app
- PIXMA Cloud Link, Google Cloud Print and Apple AirPrint support
- High-speed printing: A4 document 15 ipm mono / 10 ipm colour
- Save on ink and paper with auto 2-sided print, XL and XXL ink options
- Superior-quality prints up to 9600dpi and no waste with 5 single inks
- Easy operation with Dual Function Panel and 6.2cm colour display

**Canon**



5 Single Inks



Wi-Fi CERTIFIED



AirPrint



Dual Function Panel



2.5 Type (6.2cm) TFT



PIXMA XXL Ink



2-sided ADF



250-Sheet Cassette



Scan to USB Memory

# Technical Specifications

# PIXMA MX725

PRINTER SPECIFICATIONS	
Print Resolution	Up to 9600 <sup>[1]</sup> x 2400dpi
Print Technology	5 Individual Inks (PGBK, BK, C, M, Y) Inkjet FINE print head with 1 pl (min.) ink droplet size ChromaLife100+ inks
Mono Document Print Speed	Approx. 15.0 ipm <sup>[2]</sup>
Colour Document Print Speed	Approx. 10.0 ipm <sup>[2]</sup>
Photo Print Speed	Borderless 10 x 15cm: Approx. 21 seconds <sup>[3]</sup>
Borderless Printing	Yes (A4, LTR, 20 x 25cm, 13 x 18cm, 10 x 15cm)
Two Sided Printing	Automatic
SCANNER SPECIFICATIONS	
Scanner Type	Flatbed, ADF and CIS colour scanner
Scanner Resolution (Optical)	Up to 2400 x 4800dpi <sup>[4]</sup>
A4 Scan Speed	Approx. 14 seconds <sup>[5]</sup>
Maximum Document Size	Flatbed: A4, LTR (216 x 297mm) ADF: A4, LTR, LGL
OCR	Yes
Scanning Depth (Input / Output)	Colour: 48 bit / 24 bit Greyscale: 16 bit / 8 bit
COPIER SPECIFICATIONS	
Copy Speed Colour Document	sFCOT: Approx. 12 seconds <sup>[6]</sup> sESAT: Approx. 8.4 ipm <sup>[6]</sup> sESAT ADF: Approx. 8.0 ipm <sup>[6]</sup>
Multiple Copy	1 to 99 pages
Copy Zoom	25 – 400%
Copy Functions	Document Copying, Photo Copying, Fit-to-Page Copying, Borderless Copying
Copy Quality Settings	Fast, Standard, High
FAX SPECIFICATIONS	
Fax Type	Super G3 / Colour
Fax Resolution	Mono: up to 300 x 300dpi Colour: 200 x 200dpi
Fax Speed	Mono: approx. 3 sec. (33.6kbps) <sup>[7]</sup> Colour: approx. 1 min. (33.6kbps) <sup>[7]</sup>
Fax Memory	Up to 250 pages
Coded Speed Dialling	Max. 100 locations
Group Dial	Max. 99 locations
COMPATIBLE INKS	
Standard Ink Cartridges	PGI-550PGBK (Pigment Black) CLI-551BK (Black) CLI-551C (Cyan) CLI-551M (Magenta) CLI-551Y (Yellow)
Optional XL Ink Cartridges	PGI-555PGBK XXL (Pigment Black) PGI-550PGBK XL (Pigment Black) CLI-551BK XL (Black) CLI-551C XL (Cyan) CLI-551M XL (Magenta) CLI-551Y XL (Yellow)
INK YIELDS	
PBK (Pigment Black)	Standard: 375 document pages or 2300* photos Optional XL: 620 document pages or 4600* photos Optional XXL: 1000 document pages or 7500* photos
BK (Black)	Standard: 1645* document pages or 421* photos Optional XL: 5000* document pages or 1130 photos
C (Cyan)	Standard: 332 document pages or 121 photos Optional XL: 700 document pages or 270 photos
M (Magenta)	Standard: 333 document pages or 140 photos Optional XL: 670 document pages or 313 photos
Y (Yellow)	Standard: 329 document pages or 120 photos Optional XL: 700 document pages or 271 photos
Composite (CMY Average)	Standard CMY: 331 document pages or 126 photos Optional XL CMY: 690 document pages or 283 photos
Testing Standards	ISO/IEC 24711 for A4 colour document pages ISO/IEC 29102 for 10 x 15cm colour borderless photos Values obtained by continuous printing * Estimated supplemental yield

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc. Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time. Ink yield may vary depending on texts / photos printed, applications software used, print mode and type of paper used. For more information see [www.canon-europe.com/inkyield](http://www.canon-europe.com/inkyield)

All brand and product names are trademarks of their respective companies.

PAPER SUPPORT	
Paper Types	Plain Paper Envelopes (DL, COM10) Canon Pro Platinum (PT-101) Canon Pro Luster (LU-101) Canon Plus Glossy II (PP-201) Canon Plus Semi-gloss (SG-201) Canon Glossy Everyday Use (GP-501) Canon Matte (MP-101) Canon High Resolution Paper (HR-101N) Canon Photo Stickers (PS-101) Canon T-Shirt Transfer (TR-301)
Maximum Paper Input	Lower cassette: Max. 250 sheets of plain paper Upper cassette: Max. 20 sheets of photo paper
Paper Sizes	Lower cassette: A4, A5, B5, LTR, LGL, 20 x 25cm Upper cassette: 10 x 15cm, 13 x 18cm
Paper Weight	Plain paper: 64 – 105g/m <sup>2</sup> Canon photo paper up to 300g/m <sup>2</sup> (PT-101)
CONNECTIVITY	
Wired Connections	Hi-Speed USB Ethernet 10/100Mbps (auto switchable) USB flash memory port
Wireless Connections	Wi-Fi IEEE802.11 b/g/n <sup>[8]</sup> Bluetooth v 2.0 (optional USB adapter)
Applications Support	PIXMA Printing Solutions app <sup>[9]</sup> Apple AirPrint Google Cloud Print Wireless PictBridge Print from Email
SOFTWARE	
Supported Operating System	Windows 8.1 / 8 / 7 / Vista SP1 & SP2 / XP SP3 32-bit Mac OS X v10.6.8 or later
Supported Mobile Systems	iOS (PIXMA Printing Solutions app, AirPrint) Android (PIXMA Printing Solutions app) Windows RT
Minimum System Requirements	Windows: Internet Explorer 8, internet connection or CD-ROM Mac: Safari 5 and internet connection Display: 1024 x 768 XGA
Software Included	MP Driver with Scanning Utility Quick Menu My Image Garden Easy-WebPrint EX (plug-in for IE8 or higher)
PHYSICAL FEATURES	
Display Type & Size	6.2cm colour TFT display with Dual Function Panel
Display languages	English, German, French, Italian, Spanish, Dutch, Portuguese, Norwegian, Swedish, Danish, Finnish, Russian, Czech, Hungarian, Polish, Slovene, Turkish, Greek, Slovakian, Estonian, Latvian, Lithuanian, Ukrainian, Romanian, Bulgarian, Japanese, Simplified Chinese, Traditional Chinese, Korean, Indonesian
Automatic Document Feeder	Up to 35 sheets, Auto 2-sided
Dimensions (W x D x H)	491 x 396 x 231mm
Weight	11.7kg
Power Source	AC 100 – 240V, 50 / 60Hz
Power Consumption	Standby: Approx. 1.0 W (USB connection to PC, scanning lamp off) Off: Approx. 0.4W (USB connection to PC) Copying: Approx. 17W <sup>[10]</sup>
Acoustic Noise Levels	Approx. 44.0 dB(A) <sup>[11]</sup>
Operating Temperature	15 – 30°C
Operating Humidity	5 – 95%RH (no dew condensation)
Duty Cycle	up to 12000 pages / month

[1] Ink droplets can be placed with a minimum pitch of 1/9600 inch.

[2] Document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.

[3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.

[4] Optical resolution is a measure of maximum hardware sampling resolution based on ISO 14473 standard. When scanning in high resolution, the scan size is restricted.

[5] Colour document scan speed is measured with ISO/IEC 24735 Annex C Test Chart A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off.

[6] Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard.

[7] Fax transmission speed is based on default setting using ITU-T No.1 chart for mono and Canon Colour Fax Test Sheet for colour. Actual transmission speed may vary depending on document complexity, fax settings at receiving end, and line conditions etc.

[8] Wi-Fi frequency band: 2.4GHz, Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password.

[9] PIXMA Printing Solutions is Canon's free application for smartphones and tablets. Not available in certain countries or regions.

[10] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

[11] When printing ISO/JIS-SCID N2 pattern on 10 x 15cm Photo Paper Plus Glossy II using default settings.

# Premium, high productivity 5-ink, All-In-One with Ethernet and Wi-Fi

A premium 5-ink wireless All-In-One featuring Ethernet, mobile and cloud connectivity plus a 35 sheet 2-sided ADF for highly productive printing, scanning, copying and faxing at home or in the office.

## PIXMA MX725



**Sales start date:** December 2014

**Positioning:** Productive wireless All-In-One with 5-ink system and 2-sided ADF for home or office

### Product Details:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
MX725 GB	6991B008AA	4960999922591	£149.99

### Ink Consumables:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PGI-550 PGBK	6496B001AA	4960999904580	£12.99
CLI-551 BK	6508B001AA	4960999905235	£10.99
CLI-551 C	6509B001AA	4960999905556	£10.99
CLI-551 M	6510B001AA	4960999905242	£10.99
CLI-551 Y	6511B001AA	4960999905563	£10.99

### Optional Ink Consumables:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PGI-555 PGBK XXL	8049B001AA	4960999965376	£21.99
PGI-550 PGBK XL	6431B001AA	4960999904504	£15.99
CLI-551 BK XL	6443B001AA	4960999904948	£14.99
CLI-551 C XL	6444B001AA	4960999904931	£14.99
CLI-551 M XL	6445B001AA	4960999904924	£14.99
CLI-551 Y XL	6446B001AA	4960999904917	£14.99
CLI-551 C / M / Y / BK Multipack	6509B008AA	8714574584409	£14.99

### Logistics Information:

Pack Description	Qty	Dimensions (L x W x H in mm)	Weight (Gross / Net in kg)
Individual	1	570.5 x 308 x 520.5	14.5 / 11.7
Pallet (Upper)	12	1147 x 930 x 1045	175.8 / 174
Pallet (Bottom)	12	1147 x 930 x 1045	175.8 / 174

### What's in the box?

- All-In-One printer – PIXMA MX725
- Setup Ink Tanks (PBK, BK, C, M, Y)
- Power cord
- Setup CD-ROM
- Manuals and other documents