WorkCentre™ 7830/7835/7845/7855 A3 Colour Multifunction System

Xerox<sup>®</sup> WorkCentre<sup>™</sup> 7800 Series Multifunction System Transform the way you work.



The smartest technology investments do more than pay for themselves. Ideally, they integrate and streamline multiple office processes, simplify complex tasks, and free up company resources so you can devote more energy to growing your business.

And in today's competitive environment, choosing the right technology provider means getting more than the latest features. You need a complete solution that delivers efficiencies you never imagined – one that solves problems now, while also providing the framework you need to stay one step ahead of potential workflow obstacles.

You need the solutions powered by Xerox<sup>®</sup> and our WorkCentre<sup>™</sup> 7830/35/45/55.



## Promote your strong image and minimise costs.

The print quality you need to succeed. With the Xerox<sup>®</sup> WorkCentre<sup>™</sup> 7800 series multifunction system, you'll achieve high-impact colour documents that impress customers and deliver results – while minimising costs.

#### Take Colour to a Whole New Level

The Xerox<sup>®</sup> WorkCentre 7800 series, with advanced Hi-Q LED technology, helps you create professional-looking documents at the touch of a button.

- High-resolution output, highly impactful documents. With 1200 x 2400 dpi, photoquality colour images and rich, crisp text, your output always makes a huge impact.
- Always accurate image quality. The WorkCentre 7800 series multifunction system employs advanced print heads with Digital Image Registration Control Technology, which ensures consistently outstanding image registration.

- Impressive results. Print vibrant images on a variety of stock as large as 320 x 483 mm and on paper weights up to 300 gsm. Impressive finishing capabilities range from saddle-stitch booklets to folded brochures.
- Harness the power of Fiery®. Upgrading your WorkCentre 7800 series with an EFI Fiery® network server gives you easy-touse colour management tools, enhanced productivity and security features and flexible workflow tools.
- Keep your costs under control. User Permissions allow the ability to restrict access to print features by user, group, time of day or by application. For example, all Outlook emails can be set to output automatically in black and white duplex and all PowerPoint presentations print in color.

#### Colour By Words: Unique Colour Control

With the Colour By Words feature there is no need to go back to square one and manipulate source files. You simply select the desired colour modifications from a drop-down list, and Colour By Words will adjust your printout.



Original photo not right? Use the Colour By Words drop-down list and choose "yellow-green colours a lot more green," and "red colours a lot more vivid." Picture-perfect results.



## More time for the work that matters most.

The business world is complex enough – your business processes don't have to be. Xerox gives you the tools and technologies that make it possible to automate common office workflows, to turn challenges into routine tasks and to simplify the ways in which you share business-critical information.



#### Single Touch Scanning

Use the Single Touch Scan feature to create a dedicated, easy-to-locate scan button directly on the colour touch screen interface. Assign the Single Touch Scan button its own scanning workflow for fast document distribution and archiving.

#### Easy at Your Point of Need

The colour touch screen provides easy access to a wealth of workflow-optimising capabilities. Onboard scanning solutions that require no extra software or middleware: Single Touch Scan; on-box Optical Character Recognition with searchable PDF creation; secure PDF; print from and scan to USB device; Scan to Email, Mailbox and Network. Plus, single pass scanning simultaneously scans both sides of two-sided documents, while high-compression technology reduces file sizes.

#### **Extend Your Possibilities**

Transform the way your business gets vital work done with the power of Xerox® Workflow Solutions, built on the Xerox® Extensible Interface Platform® (EIP), choose the right solution that fits your business whether it's hosted within the cloud or locally on your server. Some examples of Xerox® Workflow Solutions that users can access via the colour touch screen interface are:

- Xerox<sup>®</sup> ConnectKey<sup>®</sup> for SharePoint<sup>®</sup>. Scan files directly into Microsoft<sup>®</sup> SharePoint<sup>®</sup> and other Windows<sup>®</sup> folders. Plus, you can go beyond basic file storage and PDF creation by automatically converting documents to intelligent, structured data with easy file naming and routing tools.
- Xerox<sup>®</sup> ConnectKey Share to Cloud.
   Provides easy, secure, scalable scanning to popular cloud-based repositories such as
   Google Docs, SalesForce.com, Office 365 and
   Dropbox<sup>™</sup>, using custom-designed workflows that leverage our Xerox<sup>®</sup> EIP technology.

Learn more about Xerox<sup>®</sup> Workflow Solutions at www.office.xerox.com/software-solutions.



## Unrivalled security for total peace of mind.

**Business data is your company's lifeblood.** That's why Xerox engineered the WorkCentre<sup>™</sup> 7800 series devices with the most complete range of advanced features, technologies, and solutions from security-industry leaders that safeguard your critical information from all potential points of vulnerability.

- Protect your confidential information. Safeguard all sensitive data with encrypted PDF files for scanning; complete hard drive encryption, compliant with the 256-bit AES FIPS 140-2 standard; and Image Overwrite with a 3-pass scrub process to ensure total deletion of all data fragments.
- Prevent unauthorised Access. Permit only authorised users from accessing the device with Xerox user permissions, network authentication, IP filtering, and smart card, role-based and function-level login.

 Proactive threat management.
 Monitors security clearing houses for new vulnerabilities and provides patches when necessary, ensuring your equipment stays current and your data is kept safe.
 Plus, you can receive up-to-the-minute updates via RSS feeds and stay informed

via www.xerox/security.


- Stay compliant with regulations. WorkCentre 7800 series devices comply with the latest security standards across industries, including government, finance and healthcare. These include Common Criteria, HIPAA, Data Protection Act, COBIT and more. These devices can conform to any standard, with controls available to match your needs.
- Gain complete visibility. Prevent IP theft and ensure non-repudiation by having total visibility into the device and network. With security policy management and tracking of all activity on the device with Audit Log, you know who accessed what and when.

# McAfee CISCO

#### Powerful Partnerships

The Xerox® ConnectKey® Controller includes McAfee technology integration, resulting in the industry's first line up of multifunction systems that protect themselves from potential outside threats. McAfee's whitelisting technology ensures only safe, pre-approved system files run on your devices, minimising the need to manually update software levels against new security threats. Also, seamless integration with the Xerox® Managed Print Services toolset and McAfee allows for easy tracking and monitoring.

Plus, automatic Cisco TrustSec ISE integration provides comprehensive visibility of all ConnectKey multifunction systems' endpoints to enforce IT-centric security policies and compliance.



## Xerox is here so you can connect anywhere.

**Real business is not limited to the workplace.** And with Xerox in your office, the freedom of uninhibited mobility empowers the confidence to do what you do best wherever your real business takes you.

## Freedom in the Office and Room to Roam

The WorkCentre<sup>™</sup> 7800 series gives your office staff the luxury of controlling device functions from any workstation. Plus, mobile professionals can access the communications tools and productivity solutions regardless of location.

- Apple<sup>®</sup> AirPrint<sup>™</sup>. Print email, photos and important office documents directly from your Apple iPhone<sup>®</sup> or iPad<sup>®</sup> with no drivers to install and no cables to connect. With AirPrint, your iPhone or iPad automatically locates and connects to the AirPrint-enabled WorkCentre 7800 series device over your office Wi-Fi network.
- Xerox® Mobile Print and more. Xerox has all the options to enable secure, accurate printing from most mobile devices, to any printer or multifunction system, regardless of brand. Plus, Xerox offers IT-friendly optional capabilities such as PIN code access and multiple mobile operating systems. For more information, visit www.xerox.com/mobile.



Remote Monitoring and Management.

The Remote Control Panel feature lets you operate the WorkCentre 7800 series device's user interface from any office workstation as though you were standing at the device.

Remotely train users and configure device settings with the peace of mind that integrated security allows only a single authorised operation at a time to prevent multiple remote procedures.











#### High-Capacity Feeder holds 2,000 sheets of

paper. This brings the maximum capacity up to 5.140 sheets. The WorkCentre 7830/7835 models are available with capacities of 2,180 or 3,140 sheets.

Exceptional media flexibility. The WorkCentre 7800 series handles a wider range of media types and weight from more trays than most devices in its class. It supports up to 300 gsm and media sizes up to 320 x 483 mm.

Print envelopes easily using our optional envelope tray (replaces Tray 1).

Large work surface (recommended for Convenience Stapler) gives you plenty of room to sort documents.

Dual-head, single pass scanner on the WorkCentre 7845/7855 saves time by simultaneously scanning both sides of two-sided documents at up to 133 impressions per minute.


Office Finisher LX\* (not shown) gives you advanced finishing functions at a great value.



Integrated Office Finisher (only for WC7830/7835)\* (not shown) provides 500-sheet stacking and 50-sheet, single-position stapling.

Professional Finisher\* adds 50-sheet multiposition stapling, hole punch, V-fold and saddle-stitch booklet making.





#### **Environmental Features**

The WorkCentre 7800 series delivers cutting-edge reductions in energy consumption.

#### **Conserve Energy with Green Technologies**

- EA Toner. Our EA Toner with ultra lowmelt technology achieves minimum fusing temperature at 20 degrees C lower than conventional toner for even more energy savings and brilliant glossy output even on ordinary paper.
- Induction heating. The newly developed, heat-efficient IH fuser does not require preheating, which helps reduce power consumption in standby mode by 44 % compared to a resistance heating device. Plus, the device recovers from sleep mode in less than 10 seconds.

• LED scanner. The power consumption of the scanner using LED lighting is 1/3 of traditional scanners using fluorescent lamps.

#### **Manage Resource Usage and Print** Responsibly

- Energy Management. With Cisco EnergyWise, enabled by Xerox Power MIB (Management Information Base), you can control, manage and report your device's power consumption information, and set optimal power states and timeout intervals.
- Earth-smart printing. Allows you to choose the most environmentally sensitive options for your print jobs.

WorkCentre 7800 series multifunction systems are powered by the Xerox<sup>®</sup> ConnectKey<sup>®</sup> Controller. These simpleto-implement systems give you real, practical solutions that easily streamline how you communicate, process and share important information, simplify complex paper-driven tasks, and drive down costs while keeping your data secure. For more information, go to **www.xerox.com/connectkey**.

Device Specifications		WorkCentre 7830	WorkCentre 7835	WorkCentre 7845	WorkCentre 7855		
Speed		Up to 30 ppm colour and black and white	Up to 35 ppm colour and black and white	Up to 45 ppm colour and black and white	Up to 50 ppm colour Up to 55 ppm black and white		
Duty Cycle <sup>1</sup>		Up to 90,000 pages / month	Up to 110,000 pages / month	Up to 200,000 pages / month	Up to 300,000 pages / month		
Hard Drive / Proce	ssor / Memory	160 GB / 1.2 GHz Dual-core / 2 GB system	m plus 1 GB page memory		·		
Connectivity		10/100/1000Base-T Ethernet, High-Spe	ed USB 2.0 direct print, Optional Wi-Fi (wit	th Wireless Connectivity Kit)			
Controller Feature	5	Unified Address Book, Remote Control Po	anel, Online Support, Configuration Clonin	g			
Optional Controlle	r	EFI Fiery Network Server, EFI Productivity	y Package, EFI Ethernet Hub Kit				
Copy and Pri First-print-out Tim			ls colour / lack and white	7.5 seconds colour / 6.4 seconds black and white	7.1 seconds colour / 5.9 seconds black and white		
Copy and Print Re	solution	Copy: Up to 600 x 600 dpi, Print: Up to	1200 x 2400 dpi				
Page Description I	anguages	Adobe <sup>®</sup> PostScript <sup>®</sup> 3™, PDF, PCL <sup>®</sup> 5c / P	CL 6, XML Paper Specification XPS (Option	al)			
Print Features		Print from USB, Secure Print, Earth Smart Job Monitoring, Colour By Words	Driver Settings, Job Identification, Bookle	t Creation, Store and Recall Driver Settings	s, Bidirectional Real-time Status, Scaling,		
Mobile Printing		Apple AirPrint, Xerox® Mobile Print® (Opt	Apple AirPrint, Xerox® Mobile Print® (Optional), Xerox® Mobile Print Cloud® (Optional)				
Scan	Standard	Scan to Network/Email/Folder/SMB or FTP, Text Searchable PDF, PDF/A, XPS, Linearised PDF, JPEG, TIFF, Scan to USB Memory Device, Single-touch S TWAIN Support			ry Device, Single-touch Scanning ,		
	Optional	ConnectKey for Sharepoint®, ConnectKe	y Share to Cloud, Xerox® Scan to PC Deskt	op® SE, Xerox® Scan to PC Desktop Profess	sional		
Fax	Standard	Internet Fax, Fax Build Job, Network Serv	rer Fax Enablement				
	Optional	Fax Forward to Email or SMB, Walk-up Fax (one-line and two-line options, includes LAN Fax)					
Security	urity McAFee® Embedded, McAfee (ePO) Compatible, HDD Overwrite, 256-bit Encryption (FIPS 140-2 compliant), Common Cri with Timed Deletion, Secure Fax, Secure Scan, Secure Email, Cisco® TrustSec Identity Services Engine (ISE) Integration, Net Standard Log, Access Controls, User Permissions		• •				
	Optional	McAfee Integrity Control, Smart Card Enablement Kit (CAC/PIV, .NET), Xerox Secure Access Unified ID System® with Follow-You Printing®					
Accounting	Standard	Xerox® Standard Accounting (Copy, Print, Scan, Fax, Email)					
	Optional	Equitrac Office®, Equitrac Professional®, YSoft® SafeQ®					
Paper Input	Standard	Duplex Automatic Document Feeder (simplex); Sizes: 148 x 210 mm to 297 x		Single-pass Duplex Automatic Documents 133 ipm (duplex); Sizes: 148 x 210 mm			
		Bypass Tray: 100 sheets; Custom sizes:	89 x 98 mm to 320 x 483 mm	•			
	Choose One <sup>2</sup>	<b>4 x 520 -Sheet Tray model</b> - Total inclu Sizes 140 x 182 mm to SRA3	uding Bypass Tray: 2,180;	NA			
		High Capacity Tandem Tray model - Total including Bypass Tray: 3,140; 2 x 520 -sheet, 1 x 867-sheet, 1 x 1,133-sheet; Sizes 140 x 182 mm to SRA3					
	Optional	High Capacity Feeder (HCF): 2,000 sh Envelope Tray: Up to 60 envelopes: DL,	eets; Size: A4 Long Edge Feed C5, C6, Custom sizes: 98 x 148 to 162 x 2	41 mm			
Paper Outpu Finishing	t / Standard	Dual Offset Catch Tray: 250-sheets ea	ch; Face up Tray: 100 sheets				
Optional		Integrated Office Finisher (optional v Professional Finisher: 1,500-sheet stac	vith 7830/7835): 500-sheet stacker, 50 s	iposition stapling and hole punch, saddle-s			

<sup>1</sup> Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.; <sup>2</sup> Applicable only to WorkCentre 7830 and 7835




Go to www.xerox.com/office/WC7800Specs for more detailed specifications and capabilities.

©2013 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, ConnectKey®, Extensible Interface Platform®, Scan to PC Desktop®, WorkCentre<sup>™</sup> and Xerox Secure Access Unified ID System® are trademarks of Xerox Corporation in the United States and/or other countries. As an ENERGY STAR® partner, Xerox Corporation has determined that this product meets the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. All other trademarks are the property of their respective manufacturers. The information in this brochure is subject to change without notice. Updated 11/2013 BR3560



# Xerox<sup>®</sup> WorkCentre<sup>™</sup> 7830/7835/7845/7855 Colour Multifunction Printer

The WorkCentre 7800 Series Colour Multifunction Printer is built on Xerox<sup>®</sup> ConnectKey<sup>®</sup> Technology. For more information, go to **www.xerox.com**.



Standard Features	McAfee® Embedded, McAfee ePolicy (ePO) Compatible, HDD Overwrite, 256-bit Encryption (FIPS 140-2 compliant), Common Criteria Certification (ISO 15408), Secure Print with Timed Deletion, Secure Fax, Secure Scan, Secure Email, Cisco® TrustSec Identity Services Engine (ISE) Integration, Network Authentication, SSL, SNMPv3, Audit Log, Access Controls, User Permissions			
Optional Features	McAfee Integrity Control, Sn	nart Card Enablement Kit (CA	C/PIV/.NET), Xerox Secure Ac	cess Unified ID System®
Accounting				
Standard Features	Xerox® Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Enablement			
Optional Features	Equitrac Express®, Equitrac Office®, Equitrac Professional®, YSoft® SafeQ®, other solutions available through various Xerox® Alliance Partners			
Device Specifications				
Control Panel Languages		lish, International French, Italiar ian, Danish, Finnish, Turkish, Gre		
Accessories				
Optional	High Capacity Feeder (HCF) Envelope Tray (Replaces Tray Integrated Office Finisher (o Office Finisher LX Booklet Maker for Office Finisher Professional Finisher Convenience Stapler Work Surface Smart Card Enablement Kit Xerox <sup>®</sup> Secure Access Unified EFI Fiery <sup>®</sup> Network Server Walk up Fax (One- or Two-lin Wireless Connectivity Kit McAfee Integrity Control End XPS Print Option Kit	ptional with 7830/7835 only; isher LX er LX d ID System® ne options, includes LAN Fax)	)	
Foreign Device Interface (FDI) (Optional)	•	ess Device, this is an interface	to third party access control o	devices, such as coin
Electrical Requirements				
	Voltage : 220-240 VAC +/- 1 Frequency: 50/60 Hz +/- 3 %			
Power Consumption	WorkCentre 7830	WorkCentre 7835	WorkCentre 7845	WorkCentre 7855
-	C ( ) wette			
KUTTITIO (AVELODE)	b43 Watts	691 watts	764 watts	862 watts
	643 watts	691 watts	764 watts	862 watts
Standby Mode	62 watts	691 watts	95.9 watts	121 watts
Standby Mode Low Power Mode	62 watts 59 watts			
Standby Mode Low Power Mode Auto Off / Sleep mode	62 watts 59 watts 4.8 watts (Default time to slo	eep mode = 2 minutes)	95.9 watts 80.5 watts	121 watts
Standby Mode Low Power Mode Auto Off / Sleep mode Warm-up (from Off)	62 watts 59 watts 4.8 watts (Default time to slo As fast as 194 seconds (Dep		95.9 watts 80.5 watts	121 watts
Standby Mode Low Power Mode Auto Off / Sleep mode Warm-up (from Off)	62 watts 59 watts 4.8 watts (Default time to slo	eep mode = 2 minutes)	95.9 watts 80.5 watts	121 watts
Standby Mode Low Power Mode Auto Off / Sleep mode Warm-up (from Off) Low Power Recovery	62 watts 59 watts 4.8 watts (Default time to slo As fast as 194 seconds (Dep	eep mode = 2 minutes)	95.9 watts 80.5 watts	121 watts
Low Power Mode Auto Off / Sleep mode Warm-up (from Off) Low Power Recovery Operating Environment	62 watts 59 watts 4.8 watts (Default time to slo As fast as 194 seconds (Dep	eep mode = 2 minutes)	95.9 watts 80.5 watts	121 watts
Standby Mode Low Power Mode Auto Off / Sleep mode Warm-up (from Off) Low Power Recovery Operating Environment Required Temperature Range Required Relative	62 watts 59 watts 4.8 watts (Default time to slo As fast as 194 seconds (Dep < 9 seconds	eep mode = 2 minutes)	95.9 watts 80.5 watts	121 watts
Standby Mode Low Power Mode Auto Off / Sleep mode Warm-up (from Off) Low Power Recovery Operating Environment Required Temperature Range Required Relative Humidity Sound Power Levels Operating	62 watts 59 watts 4.8 watts (Default time to slu As fast as 194 seconds (Dep < 9 seconds 10° to 28° C	eep mode = 2 minutes)	95.9 watts 80.5 watts	121 watts
Standby Mode Low Power Mode Auto Off / Sleep mode Warm-up (from Off) Low Power Recovery Operating Environment Required Temperature Range Required Relative Humidity Sound Power Levels	62 watts 59 watts 4.8 watts (Default time to slu As fast as 194 seconds (Dep < 9 seconds 10° to 28° C 15% to 85% 6.5 LwAd (B)	eep mode = 2 minutes) rendent on number of services 6.5 LwAd (B)	95.9 watts 80.5 watts registered) 6.6 LwAd (B)	121 watts 94.6 watts 6.8 LwAd (B)
Standby Mode Low Power Mode Auto Off / Sleep mode Warm-up (from Off) Low Power Recovery Operating Environment Required Temperature Range Required Relative Humidity Sound Power Levels Operating Standby Sound Pressure Levels Operating	62 watts 59 watts 4.8 watts (Default time to slu As fast as 194 seconds (Dep < 9 seconds 10° to 28° C 15% to 85% 6.5 LwAd (B) 3.5 LwAd (B) 54 LpAd (dBA)	eep mode = 2 minutes) rendent on number of services 6.5 LwAd (B) 3.4 LwAd (B) 54.3 LpAd (dBA)	95.9 watts 80.5 watts registered) 6.6 LwAd (B) 3.6 LwAd (B) 55.7 LpAd (dBA)	121 watts 94.6 watts 6.8 LwAd (B) 3.6 LwAd (B) 55.8 LpAd (dBA)
Standby Mode Low Power Mode Auto Off / Sleep mode Warm-up (from Off) Low Power Recovery Operating Environment Required Temperature Range Required Relative Humidity Sound Power Levels Operating Standby Sound Pressure Levels Operating Standby	62 watts 59 watts 4.8 watts (Default time to slu As fast as 194 seconds (Dep < 9 seconds 10° to 28° C 15% to 85% 6.5 LwAd (B) 3.5 LwAd (B) 54 LpAd (dBA) 16.5 LpAd (dBA)	eep mode = 2 minutes) rendent on number of services 6.5 LwAd (B) 3.4 LwAd (B) 54.3 LpAd (dBA) 16.5 LpAd (dBA)	95.9 watts 80.5 watts registered) 6.6 LwAd (B) 3.6 LwAd (B) 55.7 LpAd (dBA) 18.5 LpAd (dBA)	121 watts 94.6 watts 6.8 LwAd (B) 3.6 LwAd (B) 55.8 LpAd (dBA) 18.5 LpAd (dBA)

With Office Finisher LX (with Booklet Maker)	1,666 mm	709 mm	1,149.2 mm	183 kg		
With Professional Finisher	1,922 mm	699 mm	1,149.2 mm	239 kg		
With Professional Finisher and High Capacity Feeder	1,922 mm	699 mm	1,149.2 mm	268 kg		
Certifications	•			'		
	CSA Listed (UL 6095 CB Certified (IEC 609 GS Mark ENERGY STAR® 2.0 GOST NOM Blue Angel Environmental Choic CE Mark Common Criteria (IE Citrix® Certified WHQL IPv6 Ready Cerner MEDITECH SAP	950-1, Second Edition) re EE 2600.2 standard)	ant (Canada) .xerox.com/OfficeCertification	15		
Paper Handling	WorkCentre 7830	WorkCentre 7835	WorkCentre 7845	WorkCentre 7855		
Duplex Automatic Docume	nt Feeder					
Capacity <sup>4</sup>	110 sheets		130 sheets (Sinale-pa	130 sheets (Single-pass DADF)		
Speed	up to 70 image per minute black and white and colour (simplex)       up to 80 images per minute black and white and colour (simplex) / up to 133 images per minute black and white colour (duplex)			nute black and white and colour		
Paper Sizes Sensed	A5 to A3					
Weights	50 gsm to 128 gsm					
Bypass Tray						
<b>Capacity</b> ⁴	100 sheets					
Sizes	Custom sizes: 89 x 9	8 mm to 320 x 483 mm				
Weights	55 to 300 gsm					
Types	Bond Card Stock Card Stock Reloaded Custom Envelopes Glossy Card Stock Glossy Card Stock Re Heavyweight Card St Heavyweight Glossy Heavyweight Glossy Hole punched Labels Letterhead Lightweight Card Sto Lightweight Card Sto Lightweight Glossy C Lightweight Glossy C Plain Plain Reloaded Preprinted Recycled Transparencies	loaded tock tock Reloaded Card Stock Card Stock Reloaded ock Reloaded Tard Stock				

4 x 520-sheet Tray Ma	odel - Total 2,180 sheets (Optional with WorkCentre 7830/7835 only)
Capacity⁴	Trays 1-4: 520 sheets each
Sizes	Tray 1: Custom Sizes from 140 x 182 mm to 297 x 432 mm Trays 2-4: Custom Sizes from 139.7 x 182 mm to SRA3
Weights	60 to 256 gsm
Types	Bond Card Stock Card Stock Reloaded Custom Glossy Card Stock Glossy Card Stock Reloaded Heavyweight Card Stock Reloaded Heavyweight Glossy Card Stock Reloaded Heavyweight Glossy Card Stock Reloaded Hole punched Labels Letterhead Lightweight Lightweight Card Stock Reloaded Lightweight Card Stock Reloaded Lightweight Card Stock Reloaded Lightweight Glossy Card Stock Reloaded Plain Plain Reloaded Preprinted Recycled Transparencies
High Capacity Tander	n Tray Model - Total 3,140 sheets (Available with all configurations)
Capacity⁴	Tray 1: 520 sheets Tray 2: 520 sheets Tray 3: 867 sheets Tray 4: 1,133 sheets
Sizes	Tray 1: Custom Sizes from 140 x 182 mm to 297 x 432 mm Tray 2: Custom Sizes from 140 x 182 mm to 320 x 458 mm Trays 3-4: Standard Sizes: A4
Weights	60 to 256 gsm
Types	Bond Card Stock Custom Glossy Card Stock Hole punched Labels Letterhead Lightweight Card Stock Lightweight Glossy Card Stock Plain Preprinted
High Capacity Feeder	(HCF) (Optional)
<b>Capacity</b> <sup>4</sup>	2000 sheets
Sizes	Standard Sizes: A4 LEF
Weights	55 to 256 gsm
Envelope Tray (Option	
Capacity <sup>4</sup>	Up to 60 envelopes
Sizes	DL, C5, C6 Custom sizes: 98 x 148 mm to 162 x 241 mm
Weights	75 to 90 gsm
Total Capacity	
Device Total Capacity	4 5,140 sheets

Finishing			
Output Trays (Standard)			
Stacking Trays⁴	Dual Offset Catch Tray – up to 250 sheets each Left-side Face up Tray – up to 100 sheets		
Integrated Office Finisher	r (Optional with 7830/7835)		
Stacking Tray	500 sheets of 80 gsm – A4 or 250 sheets of 80 gsm – A3		
Sizes	89 x 98 mm to 297 x 432 mm		
Weights	60 to 256 gsm		
Stapling	Single Auto stapling: 50 sheets maximum: A4 / B5 sheets (less than 90 gsm or (2) 220 gsm covers) 30 sheets maximum: A3 / B4 sheets (less than 90 gsm or (2) 220 gsm covers)		
Office Finisher LX (Option	ial)		
<b>Capacity</b> ⁴	Stacking Tray: 2,000 sheets unstapled or 1,000 sheets single stapled or 750 sheets dual stapled (A4)		
Sizes	182 x 210 mm to 297 x 432 mm		
Weights	60 to 256 gsm		
Multiposition Stapling	50 sheets of 90 gsm		
Hole Punch (Optional)	2-4 Hole Punch		
Booklet Maker for Office	Finisher LX (Score/Crease, Saddle-stitch Staple) (Optional)		
<b>Capacity</b> <sup>₄</sup>	40 booklets (2-15 sheets per booklet – 80 gsm or less)		
Sizes	A4, B4, A3 SEF		
Saddle-stitch Stapling	2-15 sheets / 8-60 page booklet 60 to 90 gsm		
Score / Crease	1-15 sheets / unstapled		
Professional Finisher (Opt	ional)		
Capacity⁴	Top Tray:         500 sheets of A4 unstapled         Stacking Stapling Tray:         1,500 sheets of A4 / A3 / SRA3 unstapled or         200 stapled sets of A4 or         100 stapled sets of A3 / SRA3		
Sizes	A6 to SRA3 for stacking B5 to A3 for stapling		
Weights	60 to 220 gsm		
Stapling	Single and multiposition stapling Auto stapling (50 sheets maximum) – 90 gsm A3, A4, B4 and B5 sizes supported		
Hole Punch (Standard)	2-4 Hole Punch 4 Hole Swedish Punch (Optional)		
Booklet Maker	Saddle-stitch up to 15 sheets (One 169 gsm cover plus fourteen 90 gsm sheets) Bi-fold up to 5 sheets A3, A4, SRA3 supported		
Convenience Stapler (Opt	ional - recommend use with optional Work Surface)		
Capacity⁴	50-sheet stapling 5,000 staples Requires a separate outlet		

Сору	WorkCentre 7830	WorkCentre 7835	WorkCentre 7845	WorkCentre 7855	
First-copy-out Time A4 from Platen to Centre Fray) Colour / Black and white)	As fast as 8.4 seconds As fast as 6.7 seconds	As fast as 8.2 seconds As fast as 6.8 seconds	As fast as 7.5 seconds As fast as 6.2 seconds	As fast as 7.1 seconds As fast as 5.5 seconds	
ides (input:output)	1-1, 1-2, 2-2, 2-1				
Juantity	1 to 9,999				
esolution (max.)	Up to 600 x 600 dpi				
Reduction / Enlargement	Variable zoom from 25% to	400% in 1% increments			
Concurrency	Programme-ahead to allow job to be initiated while initial job is processed (Copy, Print, Fax and Scan)				
Copy Feαtures	Annotation and Bates <sup>™</sup> stamping (with colour capability and font size adjustment)         Authentication for Services (i.e. Colour Copy)         Auto Paper Select         Auto Reduction & Enlargement to fit selected paper size         Auto Tray Switching         Automatic 2-sided/Duplex         Booklet Creation         Build Job: (Enables page-level programming and also lets you proof each section or delete last section as the job i         built)         Collation         Covers (Front only, front and back, back only, printed inside and out: Blank or Printed)         Dividers (blank)         Edge Erase         Features Help (Intuitive text and graphic descriptions)         ID Card Copy         Image Quality Adjustments         Image Shift (with Auto Centre option)         Invert Image (negative or mirror image)         Large Job Interrupt         Multi-up (up to 15 columns by 15 rows)         Sample Set         Save Job Settings         Single Colour         Stapling				
Kerox® Copier Assistant®	Xerox <sup>®</sup> Copier Assistant <sup>®</sup> Software provides a PC-based alternative to the user interface touch screen. Used in conjunction with a customer-supplied PC attached via the USB port, this software supports text-to-speech, screen magnification and easy PC keyboard access to basic and advanced copy features. Section 508 compliant. For more information or to download Xerox <sup>®</sup> Copier Assistant for free, visit www.xerox.com				
Print					
Print Resolution	Up to 1200 x 2400 dpi				
Print Features	Layout / Watermark (N-up) Overlays Paper Selection by Attribute LAN Fax (requires optional F Sample Set Saved Job (colour jobs can F Secure Print with Timed Del Special Pages (exception pa Store and Recall Driver Setti	us our By Words) r, Resolution (Standard, High or Banner, Print ID in margir (up to 16 pages per sheet), l max Kit) te printed as black and white etion ge programming: covers, ins ngs	is on first page only or all pag Multi-up, Booklet layout / fini e)	shing, Fit to new paper size)	

Print from USB	Allows walk-up printing from Type A USB port on front panel Supports direct printing from computer via Type B USB port Supported file formats: PDF, JPEG, TIFF, PS, XPS <sup>3</sup> , PCL Colour jobs can be printed as black and white
Operating Systems	Microsoft® Windows® XP SP3 (32- and 64-bit) Windows Server 2003 R2 (32- and 64-bit) Windows Server 2008 and R2 (32- and 64-bit) Windows Server 2012 and R2 Windows Vista SP2 (32- and 64-bit) Windows 7 (32- and 64-bit) Windows 8 (32- and 64-bit) Windows 8.1 (32- and 64-bit) Mac OS 10.7, 10.8, 10.9 Linux Redhat Fedora Core 19 X86 Ubuntu 13.10 X64 openSUSE 13.1 X64
Network Protocols	TCP/IP: HTTP/HTTPS, Internet Printing Protocol, LPR/LPD, Raw Socket Printing/Port 9100, IPv4/IPv6, WSD NetWare: Bindery and NDS IPX/SPX, NDPS®/NEPS (with Server Gateway) AppleTalk®: EtherTalk® Microsoft Windows Networking over IP Bonjour® IPv6 Secure FTP Most protocols not in use can be disabled
Administrative Protocols	DHCP, BOOTP, SNMP, WINS, SLP <sup>®</sup> v2, HTTP, HTTPS, DHCP Autonet, SSL, NTP, DNS, SSDP
Fonts	PCL: 93 scalable fonts, line printer and bitmap font (including Cyrillic font support) PostScript 3: 173 Type 1 fonts, 2 Multiple Master fonts
Xerox® Mobile Express Driver®	Makes it easy for mobile users to find, use and manage Xerox <sup>®</sup> and non-Xerox devices in every new location. Plug into a new network, and Mobile Express Driver automatically discovers available printers and provides status and capability information. Save a list of "favourite" printers for each location, store application print settings for use on any printer in any network, and greatly reduce mobile support calls to IT.
Xerox® Global Print Driver®	A truly universal print driver that lets IT administrators install, upgrade and manage Xerox <sup>®</sup> and non-Xerox devices from a single driver. It provides a consistent, easy-to-use interface for end-users, reducing the number of support calls, and simplifying print services management.
Xerox <sup>®</sup> Pull Print Driver	Makes it easy for IT managers to qualify, deploy and manage all print devices using a single driver in a Pull Print environment. Uses a single queue and single driver. The Xerox® Pull Print Driver extends convenience across a broad range of printing assets. IT administrators no longer need to manage and configure multiple drivers. Used in conjunction with Xerox Secure Access Unified ID System®, Equitrac Office®, Ysoft® SafeQ®, Pharos® and others.
Print Solutions	
<b>Gerox® Mobile Print Cloud</b> <b>Optional)</b> Werox® Mobile Print Cloud addresses the needs of businesses with a mobile workforce and puts you after evolving mobile print need, but without burdening staff, budget or infrastructure. Getting started takes of minutes via the cloud. Print from any mobile device to nearly any brand of printer. Accurate printing with Microsoft® Office® rendering and more. Print what you need, when, where and how you need it.	
Xerox® Mobile Print Solution (Optional)	Xerox <sup>®</sup> Mobile Print Solution is an ideal choice for sites that have additional requirements for control and security with an onsite server. Xerox <sup>®</sup> Mobile Print Solution allows users to print from most mobile devices to nearly any brand of printer or multifunction printer without drivers or added complexity. Simply enter a release code (PIN) at the device and get accurate printing with true Microsoft Office rendering and more to use with your server for private, onsite deployment.
Unified Address Book for Fo	ax, Internet Fax, Email and Scan to
Features	Services supported: Fax, Internet Fax, Email, Scan to Maximum contacts: 5,000 Contacts: Supports 1 or more destinations Favourites for quick access of fax numbers, emails, etc.

Additional Scan Information	WorkCentre 7830	WorkCentre 7835	WorkCentre 7845	WorkCentre 7855	
Concurrency	Scan while the system is printing, copying, or while it is transferring scan to network or fax jobs (priority is for return of scanned originals and printing concurrent jobs)				
Input Speed	Scan at up to 70 ipm colour scanning, up to 70 ipm black and white – A4 LEFScan at up to 133 ipm colour scanning, up to 133 ip black and white – A4 LEF				
Resolution	72 x 72 dpi to 600 x 600 dpi Bit Depth: 1-bit (black and white), 8-bit (greyscale), 24-bit (colour)				
Maximum Scan Area	A3				
Scan Template Management	Support 250 scan templates Create Xerox® CentreWare® IS scan templates and share via device cloning to other multifunction printers Confirmation sheet options				
Network Protocols	sFTP, FTP, SMB, NetWare	e, HTTP, HTTPS			
File Compression	Colour TIFF (TIFF 6.0 or TTN2 with JPEG, LZW) Black and white TIFF (G3MH, G4 MMR compression - single or multiple pages) Searchable PDF and PDF/A (MRC, JPEG, G3 MH, G4 MMR, JBIG 2 Huffman, JBIG Arithmetic Compression, Deflate (for Black and white and within MRC)) Linearised PDF / PDF/A				
Document Management Fields (Meta Data)	• 1 to 6 user programme template – Metadata	n Network Scan to File Templa able metadata fields per netwo field consists of field name, def red on user interface for variab	ork scan to file templates and fault value and other configu		
Scan Features	Mixed Size Originals Scan Build Job Compression Quality/File Size Control Original Type (Photo and Text, Photo, Text, Map, Newspaper / Magazine) Auto Background and Shadow Suppression Size for Size (for mixed size originals) TWAIN Support / WIA Support Bound Originals Edge Erase Reduction/Enlargement Single Touch Scan buttons (up to 10)				
Scan to Email (Standard)					
Scan Features	<ul> <li>Email signatures (6 line CentreWare IS confirm</li> <li>Scan to Email S/MIME</li> <li>Email Signing (requires</li> <li>Auto send to self</li> </ul>	Encryption	, email message body (user	configurable), email	
Directory Access	Address list via LDAP (Windows Active Directory, Exchange, Notes, Domino) Downloaded address list (comma-separated file format) Utilises the Unified Address Book				
Scan to (Standard)					
Features	Scan to USB Scan to Network Folder (uses Unified Address Book entries)				
Network Scanning – Softv	vare Solutions				
Xerox® Scan to PC Desktop Professional (Optional)	<ul> <li>A desktop offering that provides advanced document imaging, archiving, editing and organisation tools:</li> <li>PaperPort Professional image viewing and file management software <ul> <li>Complete PDF functionality</li> <li>Secure PDF workflow of all scanning applications</li> </ul> </li> <li>OmniPage Pro Office (for desktop/client installation) – Professional OCR software for digital archiving and document conversion</li> <li>Image Retriever – provides fully automated retrieval of scanned images direct from a scan enabled Xerox<sup>®</sup> WorkCentre to individual desktops. Also includes email inbox polling capability</li> </ul>				
Xerox® ConnectKey® for SharePoint® (Optional)	<ul> <li>Xerox® ConnectKey for SharePoint simplifies and streamlines the way you scan, capture and store your paper-base documents. Using your Xerox® multifunction printer, you can route documents directly into the precise document repository folder, just like you would from your PC. At the multifunction printer, you can browse to the folder, nan the document, and add any key indexing information before you scan. With the flexibility to capture and route to SharePoint as well as Windows folders, ConnectKey is the right solution for any office that needs to archive and share paper-based documents.</li> </ul>				

Years* ConnectKey*       ConnectKey Share to Cloud provides organisations with powerful, easy and secure document scanning capabilities that connect your Xerox* multifunction printer to popular cloud services and email, such as Google Docs*, SalesForce.com, Office 365 and Dropbox* and gives employees anytime, anywhere access to their most important documents using mobile devices.         Xerox* ConnectKey* of DocuShare, a one step scan-to-workflow solution, simplifies the process of incorporating hard dopy content into enterpise document flows. Users can easily scan documents directly into a DocuShare collection of apy content into enterpise document flows. Users can easily scan documents directly into a DocuShare collection of apy content into enterpise document flows. Users can easily scan documents directly into a DocuShare collection of apy content into enterpise document flows. Users can easily scan documents directly into a DocuShare collection of apy content into enterpise document flows. Users can easily scan documents directly into a DocuShare collection of apy content into enterpise document flows. Users can easily scan documents directly into a DocuShare collection of apy content into enterpise document flows. Users can easily scan documents directly into a DocuShare collection of apy content into enterpise document flows. Users can easily scan documents with your scales for the most important documents with your scales of the process of incorporating hard experiments of apy content into enterpise document flows. Users can easily scan documents with your scales of incorporating hard exper 2003 / Windows Server 2003 / Windows Server 2008), NDS, LDP . Areas Secure Access Unified ID System*         Features       • Expanded Authonitication - 144k CAC/PIV Card Support (2048 bit certificate key) / NET         • Decine Direct Posecure Pore (Email and Network Scan Templates only) <th></th> <th></th>		
DocuShare® (Optional)       copy content into enterprise document flows. Users can easily scan documents directly into a DocuShare collection or Windows folder via a multifunction printer.         Security       Expanded Authentication       - Network authentication to access device and/or device services via: Kerberos (UNIX / Windows Server 2003 / Windows Server 2008), NDS, LDAP         - Xerox Secure Access Unified ID System®       - Local Authentication (internal database)         - Smart Card authentication (internal database)       - Smart Card authentication (internal database)         - Smart Card authentication 10 (internal database)       - Smart Card authentication 10 (internal database)         - Digitally signed PDF (when using Smart Card authentication)       - Encrypted Zero to Email         - Encrypted Scan to Email       - Encrypted PDF (when using Smart Card authentication)         - Inmediate Image Overwrite       - On Demand Image Overwrite (Scheduled, Manual), includes sanitation of unused area of disk         - FIPS 140-2 256 bit Hard Disk Encryption       - Sa access based on network redentials         - Authorisation per user per service       - User Permissions required to access Print and Print Features (e.g. colour access or time restrictions) reflects in the print driver         - Secure Access       IP Filter, Plsec, IPA6, SSL v3.0, SNMV3, HTTPs, 802.1X, Cisco® TrustSec Identity Services Engine (ISE) integration, Device Security         - McAfee® Embedded Security, Port disablement including USB ports, Audit Log, Hide Print Job Names, McAfee Integrity Control (option		that connect your Xerox® multifunction printer to popular cloud services and email, such as Google Docs™, SalesForce.com, Office 365 and Dropbox™ and gives employees anytime, anywhere access to their most important
Features       • Expanded Authentication         • Network authentication to access device and/or device services via- Kerberos (UNIX / Windows Server 2003 / Windows Server 2003), NDS, LDAP         • Acrox Secure Access Unified ID System®         • Local Authentication (internal database)         • Smart Card authentication -144k CAC/PIV Card Support (2048 bit certificate key)/ .NET         • Secure Data         • Digitally signed PDF (when using Smart Card authentication)         - Encrypted / Password Protected PDF (Email and Network Scan Templates only)         • Secure Print (up to 10 digit PIN or Network Authentication)         - Immediate Image Overwrite         • On Demand Image Overwrite         • On Secure Access         • IPIS 140-2 256 bit Hard Disk Encryption         • Expanded Authorisation         • Secure Netw		
<ul> <li>Network authentication to access device and/or device services via- Kerberos (UNIX / Windows Server 2003 / Windows Server 2008), SMB (Windows Server 2003 / Windows Server 2008), NDS, LDAP</li> <li>Verox Secure Access Unified ID System*</li> <li>Local Authentication (internal database)</li> <li>Smart Card authentication -114/k CAC/PIV Card Support (2048 bit certificate key)/.NET</li> <li>Secure Data</li> <li>Digitally signed PDF (when using Smart Card authentication)</li> <li>Encrypted / Dasword Protected PDF (Email and Network Scan Templates only)</li> <li>Secure Print (up to 10 digit PIN or Network Authentication)</li> <li>Immediate Image Overwrite</li> <li>On Demand Image Overwrite (Scheduled, Manual), includes sanitation of unused area of disk</li> <li>FIPS 140-2 256 bit Hard Disk Encryption</li> <li>Expanded Authorisation</li> <li>Ska access based on network credentials</li> <li>Authorisation per user per service</li> <li>User Permissions required to access Print and Print Features (e.g. colour access or time restrictions) reflects in the print driver</li> <li>Secure Network Access</li> <li>IP Filter, IPsec, IPv6, SSL v3.0, SNMPv3, HTTPs, 802.1X, Cisco® TrustSec Identity Services Engine (ISE) integration, Device Security</li> <li>McAfee® Embedded Security, Port disablement including USB ports, Audit Log, Hide Print Job Names, McAfee Integrity Control (optional)</li> <li>Common Criteria Certification ISO 15408</li> <li>Xerox Secure Access</li> <li>Werox* Secure Access Unified ID System integrates your Xerox* multifunction printers with your existing employee/ student ID PIN or badge providing a flexible and convenient authentication system. Allow your staff, employees or students to send documents to a centralised print server. Then, at any multifunction printer on the network, they'll simply log in with a swipe of their magnetic or proximity ID card or their PIN to securely print their job. For more information, go</li></ul>	Security	
Unified ID System <sup>®</sup> (Optional) student ID PIN or badge providing a flexible and convenient authentication system. Allow your staff, employees or students to send documents to a centralised print server. Then, at any multifunction printer on the network, they'll simply log in with a swipe of their magnetic or proximity ID card or their PIN to securely print their job. For more information, go to www.office.xerox.com/software-solutions	Features	<ul> <li>Network authentication to access device and/or device services via- Kerberos (UNIX / Windows Server 2003 / Windows Server 2008), SMB (Windows Server 2003 / Windows Server 2008), NDS, LDAP</li> <li>Xerox Secure Access Unified ID System<sup>®</sup></li> <li>Local Authentication (internal database)</li> <li>Smart Card authentication -144k CAC/PIV Card Support (2048 bit certificate key)/ .NET</li> <li>Secure Data</li> <li>Digitally signed PDF (when using Smart Card authentication)</li> <li>Encrypted Scan to Email</li> <li>Encrypted / Password Protected PDF (Email and Network Scan Templates only)</li> <li>Secure Print (up to 10 digit PIN or Network Authentication)</li> <li>Immediate Image Overwrite</li> <li>On Demand Image Overwrite (Scheduled, Manual), includes sanitation of unused area of disk</li> <li>FIPS 140-2 256 bit Hard Disk Encryption</li> <li>Expanded Authorisation</li> <li>SA access based on network credentials</li> <li>Authorisation per user per service</li> <li>User Permissions required to access Print and Print Features (e.g. colour access or time restrictions) reflects in the print driver</li> <li>Secure Network Access</li> <li>IP Filter, IPsec, IPv6, SSL v3.0, SNMPv3, HTTPs, 802.1X, Cisco<sup>®</sup> TrustSec Identity Services Engine (ISE) integration, Device Security</li> <li>McAfee<sup>®</sup> Embedded Security, Port disablement including USB ports, Audit Log, Hide Print Job Names, McAfee Integrity Control (optional)</li> </ul>
Fax	Unified ID System®	student ID PIN or badge providing a flexible and convenient authentication system. Allow your staff, employees or students to send documents to a centralised print server. Then, at any multifunction printer on the network, they'll simply log in with a swipe of their magnetic or proximity ID card or their PIN to securely print their job.
	Fax	

1 4 1					
Network Server Fax Featur	Network Server Fax Features				
Compatibility	ITU (CCITT) group 3 Various Xerox® Alliance Partner Solutions				
Maximum Scan Area	A3				
Fax Send Features	One- or two-sided scanning (up to A3) Add to send list (50 numbers maximum) Build Job, Favourites, Delay send (specific time) Original type (photo, text or photo and text)				
Fax Print Features	One- or two-sided printing, staple, Secure Print				
Transmission Resolution	Superfine: 400 x 200 dpi (Scan at 600 x 600 dpi) Fine: 200 x 200 dpi Standard: 200 x 100 dpi				
Internet Fax Features					
Capability	Direct print-ready document transmission to remote Internet Fax machines or email clients (SMTP) Reception and automatic printout of documents sent via email from remote Internet Fax machines or email clients				
Directory Access	Utilises the Unified Address Book				
Send / Receive	Multi-page TIFF, Image only PDF				
Resolution	72 x 72 dpi to 600 x 600 dpi Bit Depth: 1-bit (black and white)				
Network Protocols	SMTP (send), POP3 (receive)				
Compliance	ITU-T T.37 compliant				
Walk-up Fax Features (Opt	ional (Customer-installable) – 1 and 2 lines)				
Compatibility	ITU (CCITT) Group 3				

Speed / Modems	One or Two V.34 modems: 33,600 bps. Less than 4 seconds per page transmission time ATA analogue terminal adaptor utilising T38 (optional)		
Compression / Speed	MH/G3, MMR/SG3		
Resolution	Walkup Send: Standard: 200 x 100 dpi Fine: 200 x 200 dpi Superfine: 600 x 600 dpi Receive: Accepts all sizes		
Fax Send FeaturesLAN Fax (fax from print driver) Auto Fax Transmission Reduction Page-by-page Job Status at the Machine Delay start, Build Job, Favourites Automatic Memory Resend Automatic Cover Sheets PSTN Fax Batch Send (up to memory capacity)			
Fax Receive Features	One- or Two-sided Printing Stapled or Unstapled Receive Print Mode – Manual (size, margin, stock, header) / Auto Output Tray Selection Up to 200 Password Protected Mailboxes Secure Receive Receive Receive Timestamp Auto Answer Delay		
Fax Forward	Forward to Email or SMB Location Fax forward on receive only		
Fax Reports	Activity, Dial Directory, Group Directory, Transmission Confirmation, Pending Fax, Options Report, On Demand Overwrite Report, Mailbox Report, Broadcast Report		
Directory Access	Utilises the Unified Address Book Group fax available		
Auto Redial	Up to 14 attempts (per country requirements) • 1 to 25 minute intervals		
Auto Resend	Up to 5 attempts		
Device Management			
Management Support	SNMP Version 1. SNMP Version 2c and SNMP Version 3 trap over TCP/IP and IP MIB access (IETF-MIBII RFC 1213), Host Resources MIB RFC 2790, Printer MIB RFC 1759 v.2		
<ul> <li>A Web-based server application for network administrators that permits Web browser-based device in from any workstation, whether running Windows, UNIX or any other operating system:         <ul> <li>Works with any SNMP-managed printer from any manufacturer.</li> <li>Provides help with device discovery and installation, health checks and troubleshooting, and device well as basic accounting and asset management.</li> <li>Requires Windows XP, Vista or Windows 7 and Internet Explorer 6.0 and higher.</li> <li>CentreWare Integration available for Tivoli® NetView®, Unicentre TNG®, Microsoft Management C HP® OpenView®</li> </ul> </li> </ul>			
Novell NDPS/NEPS	Server gateway application: centralised management tool.		
Xerox® Device Manager	Manager       Xerox® Device Manager collects and manages the data that drives fact-based decisions for your enterprise device management environment. It is a single tool to install print queues and configure, manage, monitor and report on both networked and locally connected devices – regardless of vendor – across your enterprise. Xerox® Device Manager provides:         • Device monitoring and troubleshooting         • Extensive reporting and discovery of new devices         • Usage collection, chargeback and billing capabilities		
Xerox <sup>®</sup> Device Types for SAP Environment	Xerox, together with SAP through our Gold-level membership in the SAP Printer Vendor Programme, provides seamless connectivity between SAP systems and your Xerox® printers and multifunction printers. And as an SAP customer you benefit from having SAP-certified Xerox® device types available right from SAP's online delivery model. SAP-certified device types for Xerox® printers and multifunction printers are available to download. www.office.xerox.com/software-solutions		

Xerox <sup>®</sup> Device Types	Provides built-in process intelligence that allows the printing of barcodes on any appropriately configured PostScript		
for SAP R/3 Intelligent Barcode Utility (optional)	printer in specific versions of SAP environment and within Latin-1 (ISO8859-1) SAP system code pages only. Used in conjunction with Xerox® PostScript Device Types for SAP environment and Xerox® Font Centre Barcode Fonts. Information available at www.office.xerox.com/software-solutions		
Xerox® Barcode Pro PS (optional)	Enables intelligent PostScript printing on Xerox® multifunction printers by storing Xerox® software, as well as, the barcode fonts on the printer hard disk. Enables the printing of barcodes from any application (SAP client or mainframe) that supports PostScript printing. Information available at <a href="https://www.office.xerox.com/software-solu">www.office.xerox.com/software-solu</a>		
CentreWare Internet Servio	ces – Integrated Web Pages Provided by the Device		
Device Status	Web server embedded in Network Controller: • Tray status/contents • Consumables status • Alerts Remote Control Panel		
Job Submission	Print ready files: PS, PCL, TIFF, PDF, JPG, XPS <sup>3</sup> , TXT, PRN Output feature selection (2-sided, output colour, collate, orientation, staple, hole punch, folding, output destination) Delivery options (Immediate, sample set, delay and secure, Save job or reprint)		
Device Administration	Allows simple, remote installation setting of configuration options and management of the device		
Browsers	Internet Explorer 7.x, 8.x, 9.x Safari 5.x Mozilla Firefox 4.x, 5.x, 6.x, 7.x, 8.x, 9.x, 10.x, 11.x Opera 11.x Chrome 12		
Support	Install print / scan drivers and online support available via web page		
Languages Supported	International English, International French, Italian, German, International Spanish, Dutch, Brazilian Portuguese, Swedish, Norwegian, Danish, Finnish, Russian, Simplified Chinese, Korean, Japanese		
Remote Print Services			
Automated Meter Reads (AMR) Automates the process of collecting and submitting meter reads for tracking and billing of Xerox <sup>4</sup> Eliminates the need for time-consuming end-user involvement and ensures that meter reads are son time.			
Automatic Supplies Replenishment (ASR)	Automatically orders supplies for Xerox <sup>®</sup> output devices based on actual usage, eliminating the need to manually manage supplies inventory.		
Accounting			
Xerox® Standard Accountin	ng (Standard)		
Tracking	Copy, Print, Fax, Scan and Email usage		
Accounting	Up to 2,497 User accounts (User ID) Up to 500 General accounts (Client) Up to 498 Group accounts (Department)		
Features	<ul> <li>Administrator can manage the feature via the Web User Interface or device control panel in tools</li> <li>Administrator has the ability to import or export user accounts, Group Accounts, General Accounts and User limits via an industry standard CSV file</li> </ul>		
Accounting Options – Netv	vork Accounting – Third Party Enablement		
	<ul> <li>Enhanced network accounting with up to the minute data on how the system is being used</li> <li>Comprehensive management and enterprise scale tracking and reporting of device usage of copy, print, scan and server fax</li> <li>Other solutions are available through Xerox<sup>®</sup> Alliance Partners. For details visit www.xerox.com</li> <li>Security enhancements with the addition of HTTPS protocol support</li> <li>Device requests account authentication from third party server enabling larger databases of users and accounts</li> <li>Accept Authentication Login at control panel and pass to third party Networking Account</li> <li>Interface with third party accounting terminal for accounting user interface</li> </ul>		

Processor	2.9 GHz, Intel® Pentium® G850 Dual-core		
Memory (ESS)	1 GB		
System Disk	500 GB HDD		
rint Languages (PDL)	Adobe <sup>®</sup> PostScript <sup>®</sup> 3™		
ēαtures	Command WorkStation capability via a PC or MAC (cr Job Preview Job Merge Change Job Properties PANTONE® Colour Tables Expert Colour Settings: Profile, Rendering and Simulat Fiery® VUE FreeForm – Variable Data capabilities Booklet Maker 4.0 – booklet wizard to create booklets Print from USB flash drive Paper Catalogue Secure Erase EFI PrintMe	ion	e Management
Connectivity	10Base-T/100Base-TX/1000Base-T Ethernet		
Dptional	EFI Productivity Package (Spot On, Auto Trapping, Hot folders, Virtual Print) EFI Ethernet Hub Kit		
Supplies			
Toner Cartridges (Sold)⁵	Black	26,000 pages	006R01513
	Cyan	15,000 pages	006R01516
	Magenta	15,000 pages	006R01515
	Yellow	15,000 pages	006R01514
ransfer Belt Cleaner	1 Assembly	160,000 pages	001R00613
econd Bias Transfer Roll	1 Assembly	200,000 pages	008R13064
Staple Cartridges	for Integrated Office Finisher, Office Finisher LX, Professional Finisher and Convenience Stapler (1 cartridge per carton)	5,000 each cartridge	008R12964
	for Office Finisher LX Booklet Maker (8 cartridges per carton)	2,000 each cartridge	008R12897
	(8 cultilityes per cultor)		
	for Professional Finisher Booklet Maker (4 cartridges per carton)	5,000 each cartridge	008R12925
Staple Refills	for Professional Finisher Booklet Maker	5,000 each cartridge 5,000 each refill	008R12925
Staple Refills Xerox® Smart Kit®	for Professional Finisher Booklet Maker (4 cartridges per carton) for Integrated Office Finisher, Office Finisher LX, Professional Finisher and Convenience Stapler		
	for Professional Finisher Booklet Maker (4 cartridges per carton) for Integrated Office Finisher, Office Finisher LX, Professional Finisher and Convenience Stapler		

<sup>2</sup> Expected regular monthly throughput

<sup>3</sup> XPS option is required to print XPS files

<sup>4</sup> Paper capacities are based on 75 gsm stock; capacities will vary with different weight stocks.

<sup>5</sup> Assumptions: Toner cartridge yield is based on 5% area coverage on A4 LEF. Toner yield can vary due to many factors, including but not limited to, image area coverage, image content, media size, run mode, application types, monthly print volumes and image quality set points.

<sup>6</sup> Average drum yield is based on a run length of 5 pages of A4 LEF pages, with split of 30% colour / 70% black and white pages.

<sup>7</sup> Waste Toner Container yield will vary depending on type of image, area coverage % and Job run length.

Return spent imaging supplies through the Xerox<sup>®</sup> Green World Alliance collection/reuse/recycling programme. For more information, visit www.xerox.com/about-xerox/recycling.



For more information, visit us at www.xerox.com/office

©2014 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, CentreWare®, ConnectKey®, Copier Assistant®, DocuShare®, Global Print Driver®, Mobile Express Driver®, Scan to PC Desktop®, SmartKit®, WorkCentre<sup>™</sup> and Xerox Secure Access Unified ID System® are trademarks of Xerox Corporation in the United States and/or other countries. Mopria<sup>™</sup> is a trademark of the Mopria Alliance. As an ENERGY STAR® partner, Xerox Corporation has determined that this product meets the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. The information in this brochure is subject to change without notice. Updated 11/14 W78SS-01EF