

Xerox® WorkCentre™ 7220/7225 Multifunction System Meet today's tasks, build tomorrow's opportunities.







Discover real cost savings.

Your business depends on keeping costs in check. With Xerox, you can gain an important competitive advantage with innovative tools that help you save time, control costs, simplify the way you manage printing in your office, and get a significant return on your investment.

Affordable colour that makes an impact.

With the Xerox® WorkCentre™ 7220/7225, you'll impress your customers – with colour that's as bold as it is affordable.

- Customise your print driver settings for economy and efficiency. For example, choose N-up for printing multiple pages on a single sheet as your default. Adjust settings for specific applications, such as always printing emails in black and white.
- **Print responsibly.** By default, our print driver is set to two-sided printing, and the Earth Smart feature allows you to select other default settings that encourage responsible usage, such as no printing banner pages.

- Easy, accurate billing. WorkCentre 7220/7225 devices connect to the network to automatically submit meters reads and automate supplies replenishment.
- Manage and track device usage. Xerox® Standard Accounting provides reports for greater cost control of all device functions. Advanced solutions from Xerox® Alliance Partners deliver even more helpful tools for larger office environments.



Keep your costs under control.

User Permissions allow the ability to restrict access to print features by user, group, time of day or by application. For example, all Microsoft® Outlook® emails can be set to output automatically in black and white; and all PowerPoint® presentations print in colour.



Helping you find new ways to be productive.

Opportunities arise. Be ready to react with tools and technologies that can automate workflows, simplify routine tasks and take your productivity to a higher level.



Remote monitoring and management.

The Remote Control Panel feature lets you operate the WorkCentre 7220/7225 user interface from any office workstation as though you were standing at the device. Remotely train users and configure device settings with the peace of mind that integrated security allows only a single authorised operation at a time to prevent multiple remote procedures.

The perfect touch for optimising your workflow.

The colour touch screen provides easy access to a wealth of workflow-optimising capabilities. A simple touch is all it takes to scan files to your USB or mobile devices, to your email account or across your network. You can even create searchable and secure PDFs, quickly and easily. The WorkCentre™ 7220/7225 lets you do all this and more — without time-consuming and costly software and middleware add-ons.

• Enhanced address book with favourites.

Xerox® ConnectKey® technology enables features like the enhanced address book with favourites, which lets you seamlessly import your existing contacts and roll them out to multiple ConnectKey devices.

- **Xerox**® **Online Support.** Stay up and running with instant access to searchable online help right at the device's front panel.
- Helpful walk-up features. Embedded help videos provide quick troubleshooting assistance right on the front panel.
- Customise your solutions. Serverless Extensible Interface Platform® (EIP) applications allow building of secure applications to run on ConnectKey multifunction systems, without the need for complex IT setup. This allows you to simplify the usability of your device with a range of capabilities from support to scanning.



Comprehensive security for complete protection.

For the success of your business, it's critical that sensitive information stays protected. That's why we deploy the most complete set of features, technologies, and solutions from security-industry leaders that minimise risk by protecting vulnerable access points and critical business information.

- Protect your confidential information. Safeguard all sensitive data with encrypted PDF files for scanning; complete hard drive encryption, compliant with the 256-bit AES FIPS 140-2 standard; and Image Overwrite with a 3-pass scrub process to ensure total deletion of all data fragments.
- Prevent unauthorised Access. Permit only authorised users to access the device with Xerox® user permissions, network authentication, IP filtering, and smart card, role-based and function-level login.
- Proactive threat management. Monitors security clearing houses for new vulnerabilities and provides patches when necessary, ensuring your equipment stays current and your data is kept safe. Plus, you can receive up-to-the-minute updates via RSS feeds and stay informed via www.xerox.com/security.
- Stay compliant with regulations. WorkCentre™ 7220/7225 series devices comply with the latest security standards across industries, including government, finance and healthcare. These include Common Criteria, HIPAA, Data Protection Act, COBIT and more. These devices can conform to any standard, with controls

available to match your needs.


• Gain complete visibility. Prevent IP theft and ensure non-repudiation by having total visibility into the device and network. With security policy management and tracking of all activity on the device with Audit Log, you know who accessed what and when.



Powerful Partnerships

The Xerox® ConnectKey® Controller includes McAfee® technology integration, resulting in the industry's first line up of multifunction systems that protect themselves from potential outside threats. McAfee's whitelisting technology ensures only safe, pre-approved files run on your devices, minimising the need to manually update software levels against new security threats. Also, seamless integration with the Xerox® Managed Print Services toolset and McAfee ePolicy (ePO) allows for easy tracking and monitoring. Plus, automatic Cisco® TrustSec Identity Services Engine (ISE) integration provides comprehensive visibility of all ConnectKey multifunction systems' endpoints to

enforce IT-centric security policies and compliance.



Convenience wherever your work takes you.

Work isn't always confined to the office - and neither are you. Xerox®

ConnectKey® gives you the freedom and convenience to work when you want, where you want by keeping you seamlessly connected to the productivity tools that drive your business forward.

Stay connected and productive – anytime, anywhere.

Powered by ConnectKey®, the WorkCentre™ 7220/7225 offers mobile printing and scanning solutions that integrate fully with cloud-based technologies and mobile devices. You'll benefit from enhanced convenience, increased productivity and more flexibility, regardless of location.

- Connect wirelessly. Optional Wi-Fi connectivity lets administrators connect WorkCentre 7220/7225 devices anywhere, without the need for network cabling.
- Apple® AirPrint™. Print email, photos and important office documents directly from your Apple iPhone® or iPad® with no drivers to install and no cables to connect. With AirPrint, your iPhone or iPad automatically locates and connects to the AirPrint-enabled WorkCentre 7200 series device over your office Wi-Fi network.
- Xerox® Mobile Print and more. Xerox has all the options to enable secure, accurate printing from most mobile devices, to any printer or multifunction system, regardless of brand. Plus, Xerox offers IT-friendly optional capabilities such as PIN code access, multiple mobile operating systems. For more information, visit www.xerox.com/mobile.
- Convert paper documents. Scan documents to create text-searchable PDFs, single and multipage PDFs, and ISO standard PDF-A documents for easy archiving, organising and searching.
- Single Touch Scanning. Use the Single Touch Scan feature to create a dedicated, easy-to-locate scan button directly on the colour touch screen interface. Assign the Single Touch Scan button its own scanning workflow for fast document distribution and archiving.

Extend Your Possibilities

Transform the way your business gets vital work done with the power of Xerox® Workflow Solutions, built on the Xerox® Extensible Interface Platform® (EIP), choose the right solution that fits your business whether it's hosted within the cloud or locally on your server.

- Xerox® ConnectKey® for SharePoint.
 Scan files directly into Microsoft®
 SharePoint® and other Windows® folders.
 Plus, you can go beyond basic file storage and PDF creation by automatically converting documents to intelligent, structured data with easy file naming and routing tools.
- Xerox® ConnectKey Share to Cloud.

 Provides easy, secure, scalable and scanning to popular cloud-based repositories such as Google Docs™, SalesForce.com, Office 365 and Dropbox™, using custom-designed workflows that leverage our Xerox® EIP technology.

Learn more about Xerox® Workflow Solutions at www.office.xerox.com/software-solutions.





The Duplex Automatic Document Feeder holds 110 sheets of paper.



50-sheet bypass tray for specialty media and sizes.

Choose the configuration that meets your needs: a two-520-sheet tray with stand configuration holding up to 1,040 sheets of A3 paper, or a four-tray configuration holding up to 2,080 sheets.



Office Finisher LX (with Booklet Maker option) provides advanced finishing functions at a value











Environmental Features

The WorkCentre 7220/7225 series delivers cutting-edge features to help reduce energy consumption.

- EA Toner. Our EA Toner with ultra lowmelt technology achieves minimum fusing temperature at 20 degrees C lower than conventional toner for even more energy savings and brilliant glossy output even on ordinary paper.
- Work quietly. Our quietest work group colour multifunction system stays productive while emitting low noise levels.
- **LED scanner**. The power consumption of the scanner using LED lighting is 1/3 of traditional scanners using fluorescent lamps.
- Energy Management. With Cisco EnergyWise, enabled by Xerox® Power MIB (Management Information Base), you can control, manage and report your device's power consumption information, and set optimal power states and timeout intervals.
- Simple to implement tools. Helping you to control who prints what, when and how.
- ENERGY STAR® qualified. WorkCentre 7220/7225 devices meet the stringent ENERGY STAR requirements for energy use.



WorkCentre 7200 series multifunction systems are powered by the Xerox® ConnectKey® Controller. These simple-to-implement systems give you real, practical solutions that easily streamline how you communicate, process and share important information, simplify complex paper-driven tasks, and drive down costs while keeping your data secure. For more information, go to www.xerox.com/connectkey.

Device Specifications		WorkCentre 7220	WorkCentre 7225	
Speed		Up to 20 ppm colour and black and white	Up to 25 ppm colour and black and white	
Duty Cycle ¹		Up to 50,000 pages / month	Up to 60,000 pages / month	
Hard Drive / Processo	or / Memory	160 GB / 1.2 GHz Dual-core / 2 GB system plus 1 GB page memory		
Connectivity		10/100/1000Base-T Ethernet, High-Speed USB 2.0 Direct Print, Optional Wi-Fi (with Wireless Connectivity Kit)		
Controller Features		Unified Address Book, Remote Control Panel, Online Support (accessed from the u	ser interface), Configuration Cloning	
Copy and Print Copy Resolution	t	Up to 600 x 600 dpi		
Print Resolution		Up to 2400 x 600 image quality		
First-copy-out Time	(as fast as)	8.4 seconds colour / 7.1 seconds black and white from the Platen	8.7 seconds colour / 7.2 seconds black and white from the Platen	
First-print-out Time	(as fast as)	8.8 seconds colour / 7.0 seconds black and white	9.1 seconds colour / 7.1 seconds black and white	
Page Description La	nguages	PCL® 5c / PCL 6, XML Paper Specification (XPS), Adobe® PostScript® 3™ (Optional),	PDF ²	
Print Features		Print from USB ² , Earth Smart Driver Settings, Job Identification, Store and Recall Dr Application Defaults, Two-sided Printing (as default)	river Settings, Bidirectional Real-time Status, Colour By Words ³ ,	
Mobile Printing		Apple AirPrint, Xerox® Mobile Print Solution® (Optional), Xerox® Mobile Print Cloud® (Optional)		
Scan	Standard	Scan to Network / Email / Folder, Scan to SMB or FTP, Scan to USB Memory Device, Single Touch Scanning, Text Searchable PDF, PDF/A, XPS, Linearised PDF, JPEG, TIFF, Single/Multipage PDF, TIFF, TWAIN Support		
	Optional	ConnectKey for SharePoint®, ConnectKey Share to Cloud, Xerox® Scan to PC Des	ktop® SE or Professional	
Fax	Standard	Internet Fax, Fax Build Job, Network Server Fax Enablement		
	Optional	Fax Forward to Email or SMB, Walk-up Fax (one-line and two-line options, includes	LAN Fax)	
Security	Standard	McAfee® Embedded, McAfee ePolicy (ePO) Compatible, Hard Drive Image Overwrite, HDD 256-bit Encryption (FIPS 140-2 compliant), Common Criteria Certification (ISO 15408), Secure Print with Timed Deletion, Secure Fax, Secure Scan, Secure Email, Cisco® TrustSec Identity Services Engine (ISE) Integration, Network Authentication, SSL, SNMPv3, Audit Log, Access Control Feature, User Permissions		
	Optional	McAfee Integrity Control, Smart Card Enablement Kit (CAC/PIV/.NET), Xerox Sec	cure Access Unified ID System® with Follow-You Printing®	
Accounting	Standard	d Xerox® Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Enablement		
	Optional	Equitrac Office®, Equitrac Professional®, YSoft® SafeQ®		
Paper Input	Standard	Duplex Automatic Document Feeder: 110 sheets; Sizes: 148 x 210 mm to 297	x 420 mm; Custom sizes: 85 x 125 mm to 297 x 432 mm	
		Bypass Tray: 50 sheets; Custom sizes: 89 x 98 mm to 297 x 432 mm		
		WorkCentre 7220V_S/7225V_S (Trays 1 and 2 with Stand): 520 sheets each;	Sizes: A5 to A3; Custom sizes: 140 x 182 mm to 297 x 432 mm	
		WorkCentre 7220V_T/7225V_T (Trays 1 – 4): 520 sheets each; Sizes: A5 to A3; Custom sizes: 140 x 182 mm to 297 x 432 mm		
	Optional	Envelope Tray: Up to 60 envelopes: Monarch, DL, C5; Custom sizes: 98 x 148 mm	to 162 x 241 mm	
Paper Output Finishing	/ Standard	Dual Catch Trays: 250-sheets each, Lower tray offsets		
Optional		Integrated Office Finisher: 500-sheet stacker, 50 sheets stapled, single-position Office Finisher LX: 2,000-sheet stacker, 50 sheets stapled, 3-position stapling, op: Convenience Stapler: staples 50 sheets	. 9	

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; 2 PostScript option is required to print PDFs or PostScript files from a thumb drive.

 3 Only available in the optional Adobe® PostScript® $3^{\,\textsc{m}}$ driver.





Xerox® WorkCentre™ 7220/7225 Colour Multifunction Printer

The WorkCentre 7220/7225 Colour Multifunction Printer is built on Xerox® ConnectKey® Technology. For more information, go to www.connectkey.com.



System Specifications	WorkCentre 7220	WorkCentre 7225
Speed	Up to 20 colour / 20 ppm black and white	Up to 25 ppm colour / 25 ppm black and white
Monthly Duty Cycle ¹	Up to 50,000 pages	Up to 60,000 pages
Recommended Average Monthly Print Volume ²	Up to 5,500 pages	Up to 6,250 pages
Hard Drive / Processor / Memory	Minimum 160 GB / 1.2 GHz Dual-core / 2 GB system plus 1 GB page memory	
Connectivity	10/100/1000Base-T Ethernet, High-Speed USB 2.0 Direct	Print, Optional Wi-Fi (with Wireless Connectivity Kit)
Controller Features	Unified Address Book, Remote Control Panel, Online Support (accessed from the user interface and print driver), Configuration Cloning	
Copy and Print		
Copy Resolution	Up to 600 x 600 dpi	
Print Resolution	Up to 2400 x 600 image quality	
First-print-out Time	As fast as 8.8 seconds colour / 7.0 seconds black and white As fast as 9.1 seconds colour / 7.1 seconds black and white	
Page Description Languages	PCL® 5c / PCL 6, XML Paper Specification (XPS®), Adobe® PostScript® 3™ (Optional), PDF³	
Print Features	Print from USB ³ , Earth Smart Driver Settings, Job Identification, Store and Recall Driver Settings, Bidirectional Real- time Status, Colour By Words (only available in the optional Adobe® PostScript® 3™ driver), Application Defaults, Two-sided Printing (as default)	
Mobile Printing	Apple AirPrint, Xerox® Mobile Print Solution (Optional), Xerox® Mobile Print Cloud (Optional), Xerox® PrintBack, Mopria™ certified	
Scan		
Standard	Destinations: Scan to Mailbox; Scan to USB, Scan to Email, Scan to Network; File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Single Touch Scan, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF, Encrypted / Password Protected PDF, Linearised PDF / PDF/A	
Optional	Software Packages: ConnectKey® for SharePoint®, ConnectKey® for DocuShare®, ConnectKey Share to Cloud, Xerox® Scan to PC Desktop® SE or Professional, other solutions available through various Xerox Alliance Partners	

Fax					
Standard Features	Internet Fax, Fax Build Job, Network Server Fax Enablement				
Optional Features	Fax Forward to Email or SMB, Walk-up Fax (one-line and two-line options, includes LAN Fax), other solutions available through various Xerox® Alliance Partners				
Security					
Standard Features	McAfee® Embedded, McAfee ePolicy (ePO) Compatible, Hard Drive Image Overwrite, HDD 256-bit Encryption (FIPS 140-2 compliant), Common Criteria Certification (ISO 15408), Secure Print with Timed Deletion, Secure Fax, Secure Scan, Secure Email, Cisco® TrustSec Identity Services Engine (ISE) Integration, Network Authentication, SSL, SNMPv3, Audit Log, Access Control Feature, User Permissions				
Optional Features	McAfee Integrity Control, S	mart Card Enablement Kit (C	AC / PIV / .NET), Xerox	Secure Access Unified ID System®	
Accounting					
Standard Features		g (Copy, Print, Scan, Fax, Emo		-	
Optional Features	Equitrac Express®, Equitrac (Xerox Alliance Partners	Office®, Equitrac Professional ⁽	®, YSoft® SafeQ®, other	solutions available through various	
Device Specifications					
Control Panel Languages	US English, International English, International French, Italian, German, International Spanish, Dutch, Brazilian Portuguese, Swedish, Norwegian, Danish, Finnish, Turkish, Greek, Russian, Czech, Polish, Hungarian, Romanian, Catalan				
Accessories					
Optional	Envelope Tray (Replaces Tray 1) Integrated Office Finisher Office Finisher LX Booklet Maker for Office Finisher LX 2/4 Hole Punch for Office Finisher LX Convenience Stapler (Work Surface recommended) Smart Card Enablement Kit Xerox Secure Access Unified ID System® Walk up Fax (One- or Two-line options, includes LAN Fax) Wireless Connectivity Kit McAfee Integrity Control Enablement Kit Adobe® PostScript® Kit				
Foreign Device Interface (FDI) (Optional)	Also known as Auxiliary Acc machines and card readers.		e to third party access	control devices, such as coin	
Electrical Requirements					
	Voltage: 220-240 VAC +/- 1 Frequency: 50 / 60 Hz +/- 3				
Power Consumption – 230\	/ WorkCentre 7220		WorkCentre 7225	VorkCentre 7225	
Running (Average)	389 watts		441 watts		
Standby Mode	111 watts		126 watts		
Low Power Mode	66 watts		64 watts		
Auto Off / Sleep Mode	4.83 watts (Default time to Sleep mode = 2 minutes)		4.79 watts (Default time to Sleep mode = 2 minutes)		
Warm-up (from Off)	As fast as 214 seconds (De	endent on number of servic	es registered)		
Low Power Recovery	4.5 seconds		-		
Recovery from Sleep	16.1 seconds				
Operating Environment					
Required Temperature Range	10° to 28° C	10° to 28° C			
Required Relative Humidity	15% to 85%				
Sound Power Levels	Operating 6.96 LwAd (B), St	tandby: 4.26 LwAd (B)			
Sound Pressure Levels	Operating: 52 LpAm dB(A),	-			
Dimensions and Weight	Width	Depth	Height	Weight	
Base Configuration	585 mm	640 mm	1,132 mm	117 kg	
With Integrated Office	585 mm	640 mm	1,132 mm	129 kg	

With Office Finisher LX (with Booklet Maker)	1,164 mm	651 mm	1,132 mm	145 kg
Certifications	'	'	'	
	CSA Listed (UL 6095) ENERGY STAR® GOST NOM Blue Angel Environmental Choic CE Mark Common Criteria (IE GS Mark Citrix® Certified WHQL IPv6 Ready Cerner MEDITECH SAP	e EE 2600.2 Standard)	v.xerox.com/OfficeCertificat	tions.
Paper Handling				
Duplex Automatic Docum				
Capacity ⁴	110 sheets			
Speed		minute black and white and	colour (simplex)	
Paper Sizes	A5 to A3			
Weights	50 gsm to 128 gsm			
Bypass Tray				
Capacity ⁴	50 sheets			
Sizes	Custom sizes: 89 x 98	8 mm to 297 x 432 mm		
Weights	60 to 216 gsm			
Types	Bond Card Stock Card Stock Reloaded Custom Envelopes Glossy Card Stock Glossy Card Stock Reloaded Labels Letterhead Lightweight Card Stock Lightweight Card Stock Lightweight Glossy C Lightweight Glossy C Plain Plain Reloaded Preprinted Recycled Transparencies	loaded ock ock Reloaded ard Stock		
Trays 1 and 2 with Stand	<u> </u>	/ 7225V_S)		
Capacity ⁴	Trays 1-2: 520 sheets			
Sizes	-		mm	
J12C3	Custom Sizes from 140 x 182 mm to 297 x 432 mm 60 to 256 gsm			

Types	Bond Card Stock Card Stock Reloaded Custom Glossy Card Stock Reloaded Heavyweight Card Stock Heavyweight Card Stock Reloaded Heavyweight Glossy Card Stock Reloaded Heavyweight Glossy Card Stock Reloaded Heavyweight Glossy Card Stock Reloaded Hole punched Labels Letterhead Lightweight Lightweight Card Stock Lightweight Glossy Card Stock Reloaded Preprinted Recycled Transparencies
Trays 1-4 (WorkCentre 7220	DV_T/7225V_T)
Capacity ⁴	Trays 1-4: 520 sheets each
Sizes	Custom Sizes from 140 x 182 mm to 297 x 432 mm
Weights	60 to 256 gsm
Types	Bond Card Stock Card Stock Reloaded Custom Glossy Card Stock Glossy Card Stock Reloaded Heavyweight Card Stock Heavyweight Card Stock Reloaded Heavyweight Glossy Card Stock Lightweight Glossy Card Stock Reloaded Lightweight Lightweight Card Stock Lightweight Card Stock Reloaded Lightweight Glossy Card Stock Lightweight Glossy Card Stock Lightweight Glossy Card Stock Reloaded Plain Plain Reloaded Preprinted Recycled Transparencies
Envelope Tray (Optional – F	
Capacity ⁴	Up to 60 envelopes
Sizes	DL, C5 Custom sizes: 98 x 148 mm to 162 x 241 mm
Weights	75 to 90 gsm
Total Capacity	
Device Total Capacity ⁴	7220V_S / 7225V_S: 1,090 sheets 7220V_T / 7225V_T: 2,130 sheets

Finishing				
Output Trays (Standard)				
Stacking Tray⁴	Dual Catch Tray – up to 250 sheets each, Lower tray offsets			
Integrated Office Finisher	(Optional)			
Stacking Tray	500 sheets of 80 gsm – A4 or 250 sheets of 80 g	sm – A3		
Sizes	89 x 98 mm to 297 x 432 mm			
Weights	60 to 256 gsm			
Stapling	Single Auto stapling: 50 sheets maximum: A4 (less than 30 sheets maximum: A3 (less than 90 gsm or (2	90 gsm or (2) 220 gsm covers)) 220 gsm covers)		
Office Finisher LX (Option	al)			
Capacity ⁴	Stacking Tray: 2,000 sheets unstapled or 1,000 sh	eets single stapled or 750 sheets dual stapled (A4)		
Sizes	182 x 210 mm to 297 x 432 mm			
Weights	60 to 256 gsm	60 to 256 gsm		
Multiposition Stapling	50 sheets of 90 gsm			
Hole Punch (Optional)	2 / 4 Hole Punch			
Booklet Maker for Office F	inisher LX (Score/Crease, Saddle-stitch Staple) (Optional)		
Capacity⁴	40 booklets (2-15 sheets per booklet – 80 gsm or	less)		
Sizes	A4 SEF B4 SEF A3 SEF			
Saddle-stitch Stapling	2-15 sheets / 8-60 page booklet 60 to 90 gsm			
Score / Crease	1-15 sheets / unstapled			
Convenience Stapler (Opti	onal – Work Surface Recommended)			
Capacity⁴	50-sheet stapling 5,000 staples Requires a separate power			
Сору	WorkCentre 7220	WorkCentre 7225		
First-copy-out Time (A4, from Platen to Centre Tray)	As fast as 8.4 seconds colour As fast as 7.1 seconds black and white	As fast as 8.7 seconds colour As fast as 7.2 seconds black and white		
First-copy-out Time (A4, from DADF to Centre Tray)	As fast as 12.5 seconds colour As fast as 10.9 seconds black and white	As fast as 12.9 seconds colour As fast as 11.3 seconds black and white		
Sides (input:output)	1-1, 1-2, 2-2, 2-1	1-1, 1-2, 2-2, 2-1		
Quantity	1 to 9,999			
Resolution (max.)	600 x 600 dpi			
Reduction / Enlargement	Variable zoom from 25% to 400% in 1% increm	ents		
Concurrency	Programme-ahead to allow job to be initiated wh	ile initial job is processed (Copy, Print, Fax and Scan)		

Copy Features	Annotation and Bates™ stamping (with colour capability and font size adjustment) Authentication for Services (i.e. Colour Copy) Auto Paper Select Auto Reduction & Enlargement to fit selected paper size Auto Tray Switching Automatic 2-sided/Duplex Booklet Creation Build Job: (Enables page-level programming and also lets you proof each section or delete last section as the job is built) Collation Covers (Front only, front and back, back only, printed inside and out: Blank or Printed) Dividers (blank) Edge Erase Features Help (Intuitive text and graphic descriptions) ID Card Copy Image Quality Adjustments Image Shift (with Auto Centre option) Invert Image (negative or mirror image) Large Job Interrupt Multi-up (up to 15 columns by 15 rows) Sample Set Save Job Settings Single Colour Stapling Transparencies
Xerox® Copier Assistant®	Xerox® Copier Assistant® Software provides a PC-based alternative to the user interface touch screen. Used in conjunction with a customer-supplied PC attached via the USB port, this software supports text-to-speech, screen magnification and easy PC keyboard access to basic and advanced copy features. Section 508 compliant. For more information or to download Xerox® Copier Assistant for free, visit www.xerox.com
Print	
Print Resolution	Up to 2400 x 600 image quality
Print Feαtures	Application Defaults Banner Sheet Enable / Disable Bidirectional Real-time Status Custom Colour Options (Colour By Words − Only available in the optional Adobe® PostScript® 3™ driver.) Cover Selection Delay Print (specific time) User Permissions Image Options (Toner Saver, Standard, High Resolution) Job Identification (Print ID or Banner, Print ID in margins on first page only or all pages) Layout / Watermark (N-up) (up to 16 pages per sheet), Multi-up, Booklet layout / finishing, Fit to new paper size Overlays Paper Selection by Attribute LAN Fax (requires optional Fax Kit) Sample Set Saved Job (colour jobs can be printed as black and white) Secure Print with Timed Deletion Special Pages (exception page programming: covers, inserts, exception pages) Store and Recall Driver Settings Sustainability Features (Xerox® Earth Smart Settings, Duplex, N-up, Turn-off Banner and Print ID, Smart Sample Set, Hold All Jobs)
Print from USB	Allows walk-up printing from Type A USB port on front panel Supports direct printing from computer via Type B USB port Supported file formats: PDF³, JPEG, TIFF, PS³, XPS, PCL Colour jobs can be printed as black and white

Operating Systems	Microsoft® Windows® XP SP3 (32- and 64-bit) Windows Server 2003 R2 (32- and 64-bit) Windows Server 2008 and R2 (32- and 64-bit) Windows Server 2012 and R2 Windows Vista SP2 (32- and 64-bit) Windows 7 (32- and 64-bit) Windows 8 (32- and 64-bit) Windows 8.1 (32- and 64-bit)	
Operating Systems (PostScript Kit required)	Mac OS 10.7, 10.8, 10.9 PowerPC AIX 5 Solaris® 9, 10 Solaris SPARC 10 HP-UX® 11v2 IBM® AIX® 5 Linux® Redhat® Fedora® Core 19 x86 Linux® Redhat Enterprise 4 and 5 openSUSE® 13.1 x64 Ubuntu® 13.10 x64 Itanian HP-UX 11i v3 Unix®	
Network Protocols	TCP/IP: HTTP/HTTPS, Internet Printing Protocol, LPR/LPD, Raw Socket Printing/Port 9100, IPv4/IPv6,WSD NetWare: Bindery and NDS IPX/SPX, NDPS®/NEPS (with Server Gateway) AppleTalk®: EtherTalk® Microsoft Windows Networking over IP Bonjour® IPv6 Secure FTP Most protocols not in use can be disabled	
Administrative Protocols	DHCP, BOOTP, SNMP, WINS, SLP® v2, HTTP, DHCP Autonet, SSL, NTP, DNS, SSDP	
Fonts	PCL: 93 scalable fonts, line printer and bitmap font (including Cyrillic font support) PostScript 3: 173 Type 1 fonts, 2 Multiple Master fonts	
Xerox® Mobile Express Driver®	Makes it easy for mobile users to find, use and manage Xerox® and non-Xerox devices in every new location. Plug into a new network, and Mobile Express Driver automatically discovers available printers and provides status and capability information. Save a list of "favourite" printers for each location, store application print settings for use any printer in any network, and greatly reduce mobile support calls to IT.	
Xerox® Global Print Driver®	A truly universal print driver that lets IT administrators install, upgrade and manage Xerox and non-Xerox devices from a single driver. It provides a consistent, easy-to-use interface for end-users, reducing the number of support calls, and simplifying print services management.	
Xerox® Pull Print Driver	Makes it easy for IT managers to qualify, deploy and manage all print devices using a single driver in a Pull Print environment. Uses a single queue and single driver. The Xerox® Pull Print Driver extends convenience across a broad range of printing assets. IT administrators no longer need to manage and configure multiple drivers. Used in conjunction with Xerox Secure Access Unified ID System®, Equitrac Office®, Ysoft® SafeQ®, Pharos® and others.	
Print Solutions		
Xerox® Mobile Print Cloud (Optionαl)	Xerox® Mobile Print Cloud addresses the needs of businesses with a mobile workforce and puts you ahead of the evolving mobile print need, but without burdening staff, budget or infrastructure. Getting started takes only a few minutes via the cloud. Print from any mobile device to nearly any brand of printer. Accurate printing with true Microsoft® Office® rendering and more. Print what you need, when, where and how you need it.	
Xerox® Mobile Print Solution (Optional)	Xerox® Mobile Print Solution is an ideal choice for sites that have additional requirements for control and security with an onsite server. Xerox® Mobile Print Solution allows users to print from most mobile devices to nearly any brand of printer or multifunction printer without drivers or added complexity. Simply enter a release code (PIN) at the device and get accurate printing with true Microsoft Office rendering and more to use with your server for private, onsite deployment.	
Unified Address Book for Fo	ax, Internet Fax, Email and Scan to	
Features	Services supported: Fax, Internet Fax, Email, Scan to Maximum contacts: 5,000 Contacts: Supports 1 or more destinations Favourites for quick access of fax numbers, emails, etc.	
Additional Scan Informatio	("	
Additional Scan Informatio	Scan while the system is printing, copying, or while it is transferring scan to network or fax jobs (priority is for return of scanned originals and printing concurrent jobs)	

Resolution	From 72 x 72 dpi up to 600 x 600 dpi Bit Depth: 1-bit (black and white), 8-bit (greyscale), 24-bit (colour)	
Maximum Scan Area	A3	
Scan Template Management	Support 250 scan templates Create Xerox® CentreWare® IS scan templates and share via device cloning to other multifunction printers Confirmation sheet options	
Network Protocols	sFTP, FTP, SMB, NetWare, HTTP, HTTPS	
File Compression	Colour TIFF (TIFF 6.0 or TTN2 with JPEG, LZW) Black and white TIFF (G3MH, G4 MMR compression—single or multiple pages) Searchable PDF and PDF/A (MRC, JPEG, G3 MH, G4 MMR, JBIG 2 Huffman, JBIG Arithmetic Compression, Deflate (for Black and white and within MRC)) Linearised PDF / PDF/A	
Document Management Fields (Meta Data)	Features only available in Network Scan to File Templates: • 1 to 6 user programmable metadata fields per network scan to file templates and unlimited fields within the template – Metadata field consists of field name, default value and other configurations • Customised fields viewed on user interface for variable data input	
Scan Features	Mixed Size Originals Scan Build Job Compression Quality/File Size Control Original Type (Photo and Text, Photo, Text, Map, Newspaper / Magazine) Auto Background and Shadow Suppression Size for Size (for mixed size originals) TWAIN Support Bound Originals Edge Erase Reduction/Enlargement Single Touch Scan buttons (up to 10)	
Scan to Email (Standard)	·	
Scan Features	 Email signatures (6 lines each of 128 character max), email message body (user configurable), email CentreWare IS confirmation sheet options Scan to Email S/MIME Encryption Email Signing (requires Smart Card option) Auto send to self 	
Directory Access	Address list via LDAP (Windows Archive Directory, Exchange, Notes, Domino) Downloaded address list (comma-separated file format)	
Scan to (Standard)		
Features	Scan to USB Scan to Network Folder (uses Unified Address Book entries)	
Network Scanning – Softwo	are Solutions	
Xerox® Scan to PC Desktop® Professional (Optional)	A desktop offering that provides advanced document imaging, archiving, editing and organisation tools: • PaperPort Professional image viewing and file management software — Complete PDF functionality — Secure PDF workflow of all scanning applications • OmniPage Pro Office (for desktop/client installation) — Professional OCR software for digital archiving and document conversion • Image Retriever — provides fully automated retrieval of scanned images direct from a scan enabled Xerox® WorkCentre to individual desktops. Also includes email inbox polling capability	

Xerox® ConnectKey® for SharePoint® (Optional)	Xerox® ConnectKey for SharePoint simplifies and streamlines the way you scan, capture and store your paper-based documents. Using your Xerox® multifunction printer, you can route documents directly into the precise document repository folder, just like you would from your PC. At the multifunction printer, you can browse to the folder, name the document, and add any key indexing information before you scan. With the flexibility to capture and route to SharePoint as well as Windows folders, ConnectKey is the right solution for any office that needs to archive and share paper-based documents.		
Xerox® ConnectKey® Share to Cloud (Optional)	Xerox® ConnectKey Share to Cloud provides organisations with powerful, easy and secure document scanning capabilities that connect your Xerox® multifunction printer to popular cloud services and email, such as Google Docs™, SalesForce.com, Office 365 and Dropbox™ and gives employees anytime, anywhere access to their most important documents using mobile devices.		
Xerox® ConnectKey® for DocuShare® (Optional)	Xerox® ConnectKey for DocuShare, a one-step scan-to-workflow solution, simplifies the process of incorporating hard copy content into enterprise document flows. Users can easily scan documents directly into a DocuShare collection or Windows folder via a multifunction printer.		
Security			
Features	 Expanded Authentication Network authentication to access device and/or device services via- Kerberos (UNIX / Windows Server 2003 / Windows Server 2008), SMB (Windows Server 2003 / Windows Server 2008), NDS, LDAP Xerox Secure Access Unified ID System® Local Authentication (internal database) Smart Card authentication – 144k CAC/PIV Card Support (2048 bit certificate key)/.NET Secure Data Digitally signed PDF (when using Smart Card authentication) Encrypted Scan to Email Encrypted / Password Protected PDF (Email and Network Scan Templates only) Secure Print (up to 10 digit PIN or Network Authentication) Immediate Image Overwrite On Demand Image Overwrite (Scheduled, Manual), includes sanitation of unused area of disk FIPS 140-2 256 bit Hard Disk Encryption Expanded Authorisation SA access based on network credentials Authorisation per user per service User Permissions required to access Print and Print Features (e.g. colour access, or time restrictions) reflects in the print driver Secure Network Access IP Filter, IPsec, IPv6, SSL v3.0, SNMPv3, HTTPs, 802.1X, Cisco® TrustSec Identity Services Engine (ISE) integration, Device Security McAfee® Embedded Security, Port disablement including USB ports, Audit Log, Hide Print Job Names, McAfee Integrity Control (optional) Common Criteria Certification ISO 15408 		
Xerox Secure Access Unified ID System® (Optional)	Xerox Secure Access Unified ID System integrates your Xerox® multifunction printers with your existing employee/student ID PIN or badge providing a flexible and convenient authentication system. Allow your staff, employees or students to send documents to a centralised print server. Then, at any multifunction printer on the network, they'll simply log in with a swipe of their magnetic or proximity ID card or their PIN to securely print their job. For more information, go to www.office.xerox.com/software-solutions		
Fax			
Network Server Fax Featur	res		
Compatibility	ITU (CCITT) group 3 Various Xerox® Alliance Partner Solutions		
Maximum Scan Area	A3		
Fax Send Features	One- or two-sided scanning (up to A3) Add to send list (50 numbers maximum) Build Job, Favourites, Delay send (specific time) Original type (photo, text or photo and text)		
Fax Print Features	One- or two-sided printing, staple, Secure Print		
Transmission Resolution	Superfine: 400 x 200 dpi (Scan at 600 x 600 dpi) Fine: 200 x 200 dpi Standard: 200 x 100 dpi		
Internet Fax Features			
Capability	Direct print-ready document transmission to remote Internet Fax machines or email clients (SMTP) Reception and automatic printout of documents sent via email from remote Internet Fax machines or email clients		
Directory Access	Utilises the Unified Address Book		
Send / Receive	Multi-page TIFF, Image only PDF		
	ייי אייד דערייד (די די ד		

-	72 72 1 1 522 522 1 1		
Resolution	72 x 72 dpi to 600 x 600 dpi Bit Depth: 1-bit (black and white)		
Network Protocols	SMTP (send), POP3 (receive)		
Compliance	ITU-T T.37 compliant		
Walk-up Fax Features (Opt	ional (Customer-installable) – 1 and 2 lines)		
Compatibility	ITU (CCITT) Group 3		
Speed / Modems	One or Two V.34 modems: 33,600 bps. Less than 4 seconds per page transmission time ATA analogue terminal adaptor utilising T38 (optional)		
Speed / Compression	MH/G3, MMR/SG3		
Resolution	Walkup Send: Standard: 200 x 100 dpi Fine: 200 x 200 dpi Superfine: 600 x 600 dpi Receive: Accepts all sizes		
Fax Send Features	LAN Fax (fax from print driver) Auto Fax Transmission Reduction Page-by-page Job Status at the Machine Delay Start, Build Job, Favourites Automatic Memory Resend Automatic Cover Sheets PSTN Fax Batch Send (up to memory capacity)		
Fax Receive Features	One- or Two-sided Printing Stapled or Unstapled Receive Print Mode – Manual (size, margin, stock, header) / Auto Output Tray Selection Up to 200 Password Protected Mailboxes Secure Receive Receive Timestamp Auto Answer Delay		
Fax Forward	Forward to Email or SMB Location Fax Forward on Receive Only		
Fax Reports	Activity, Dial Directory, Group Directory, Transmission Confirmation, Pending Fax, Options Report, On Demand Overwrite Report, Mailbox Report, Broadcast Report		
Directory Access	Utilises the Unified Address Book Group fax available		
Auto Redial	Up to 14 attempts (per country requirements) • 1 to 25 minute intervals		
Auto Resend	Up to 5 attempts		
Device Management			
Management Support	SNMP Version 1. SNMP Version 2c and SNMP Version 3 trap over TCP/IP and IP MIB access (IETF-MIBII RFC 1213), Host Resources MIB RFC 2790, Printer MIB RFC 1759 v.2		
Xerox® CentreWαre® Web	A Web-based server application for network administrators that permits Web browser-based device management from any workstation, whether running Windows, UNIX or any other operating system: • Works with any SNMP-managed printer from any manufacturer. • Provides help with device discovery and installation, health checks and troubleshooting, and device upgrades, as well as basic accounting and asset management. • Requires Windows XP, Vista or Windows 7 and Internet Explorer 6.0 and higher. • CentreWare Integration available for Tivoli® NetView®, Unicentre TNG®, Microsoft Management Console (MMC), HP® OpenView®		
Novell NDPS/NEPS	Server gateway application: centralised management tool.		
Xerox® Device Manager	Xerox® Device Manager collects and manages the data that drives fact-based decisions for your enterprise device management environment. It is a single tool to install print queues and configure, manage, monitor and report on both networked and locally connected devices – regardless of vendor – across your enterprise. Xerox® Device Manager provides: • Device monitoring and troubleshooting • Extensive reporting and discovery of new devices • Usage collection, chargeback and billing capabilities		

Xerox® Device Types for SAP Environment	Xerox, together with SAP through our Gold-level membership in the SAP Printer Vendor Programme, provides seamless connectivity between SAP systems and your Xerox® printers and multifunction printers. And as an SAP customer you benefit from having SAP-certified Xerox® device types available right from SAP's online delivery model. SAP-certified device types for Xerox® printers and multifunction printers are available to download. www.office.xerox.com/software-solutions		
Xerox® Device Types for SAP R/3 Intelligent Barcode Utility (optional)	Provides built-in process intelligence that allows the printing of barcodes on any appropriately configured PostScript printer in specific versions of SAP environment and within Latin-1 (ISO8859-1) SAP system code pages only. Used in conjunction with Xerox® PostScript Device Types for SAP environment and Xerox® Font Centre Barcode Fonts. Information available at www.office.xerox.com/software-solutions		
Xerox® Barcode Pro PS (optional)	Enables intelligent PostScript printing on Xerox® multifunction printers by storing Xerox® software, as well as, the barcode fonts on the printer hard disk. Enables the printing of barcodes from any application (SAP client or mainframe) that supports PostScript printing. Information available at www.office.xerox.com/software-solutions		
CentreWare Internet Servi	ces — Integrated Web Pages Provided by the Device		
Device Status	Web server embedded in Network Controller: • Tray status/contents • Consumables status • Alerts Remote Control Panel		
Job Submission	Print ready files: PS³, PCL, TIFF, PDF³, JPG, XPS, TXT, PRN Output feature selection (2-sided, output colour, collate, orientation, staple, hole punch, folding, output destination) Delivery options (Immediate, sample set, delay and secure, Save job or reprint)		
Device Administration	Allows simple, remote installation setting of configuration options and management of the device		
Browsers	Internet Explorer 7.x, 8.x, 9.x Safari 5.x Mozilla Firefox 4.x, 5.x, 6.x, 7.x, 8.x, 9.x, 10.x, 11.x Opera 11.x Chrome 12		
Support	Install print / scan drivers and online support available via web page		
Languages Supported	International English, International French, Italian, German, International Spanish, Dutch, Brazilian Portuguese, Swedish, Norwegian, Danish, Finnish, Russian, Simplified Chinese, Korean, Japanese		
Remote Print Services			
Automated Meter Reads (AMR)	Automates the process of collecting and submitting meter reads for tracking and billing of Xerox® device usage. Eliminates the need for time-consuming end-user involvement and ensures that meter reads are submitted to Xerox on time.		
Automatic Supplies Replenishment (ASR)	Automatically orders supplies for Xerox® output devices based on actual usage, eliminating the need to manually manage supplies inventory.		
Accounting			
Xerox® Standard Accounting	ng (Standard)		
Tracking	Copy, Print, Fax, Scan and Email usage		
Accounting	Up to 2,497 User accounts (User ID) Up to 500 General accounts (Client) Up to 498 Group accounts (Department)		

Features

- Administrator can manage the feature via the Web User Interface or device control panel in tools
- Administrator has the ability to import or export user accounts, Group Accounts, General Accounts and User limits via an industry standard CSV file

Accounting Options – Network Accounting – Third Party Enablement

- Enhanced network accounting with up to the minute data on how the system is being used
- Comprehensive management and enterprise scale tracking and reporting of device usage of copy, print, scan and server fax
- Other solutions are available through Xerox® Alliance Partners. For details visit www.xerox.com
- Security enhancements with the addition of HTTPS protocol support
- Device requests account authentication from third party server enabling larger databases of users and accounts
- Accept Authentication Login at control panel and pass to third party Networking Account
- Interface with third party accounting terminal for accounting user interface

Supplies			
Toner Cartridges (Sold)	Black	22,000 pages⁵	006R01457
	Cyan	15,000 pages⁵	006R01460
	Magenta	15,000 pages⁵	006R01459
	Yellow	15,000 pages⁵	006R01458
Staple Cartridges	For Integrated Office Finisher, Office Finisher LX and Convenience Stapler (1 cartridge per carton)	5,000 each cartridge	008R12964
	For Office Finisher LX Booklet Maker (8 cartridges per carton)	2,000 each cartridge	008R12897
Staple Refills	For Integrated Office Finisher, Office Finisher LX and Convenience Stapler (3 refills per carton)	5,000 each refill	008R12941
Xerox® Smart Kit®			
Drum Cartridge	Black	7220: 67,000 pages ⁶ 7225: 74,500 pages ⁶	013R00657
	Cyan	7220: 51,000 pages ⁶ 7225: 54,500 pages ⁶	013R00660
	Magenta	7220: 51,000 pages ⁶ 7225: 54,500 pages ⁶	013R00659
	Yellow	7220: 51,000 pages ⁶ 7225: 54,500 pages ⁶	013R00658
Waste Toner Container	1 Cartridge	33,000 pages ⁷	008R13089
Fuser Module	220 Volt	100,000 pages	008R13088
Second Bias Transfer Roll	1 Assembly	200,000 pages	008R13086
Transfer Belt	1 Assembly	200,000 pages	001R00610

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

Return spent imaging supplies through the Xerox® Green World Alliance collection/reuse/recycling programme. For more information, visit www.xerox.com/about-xerox/recycling.



² Expected regular monthly throughput

³ PostScript option is required to print PDFs or PostScript files from a thumb drive.

⁴ Paper capacities are based on 75 gsm stock; capacities will vary with different weight stocks.

⁵ Assumptions: Toner cartridge yield is based on 5% area coverage on A4 LEF. Toner yield can vary due to many factors, including but not limited to, image area coverage, image content, media size, run mode, application types, monthly print volumes and image quality setpoints.

⁶ Average drum yield is based on a run length of 5 pages of A4 LEF pages, with split of 30% colour / 70% black and white pages.

 $^{^{7}}$ Waste Toner Container yield will vary depending on type of image, area coverage $\,\%\,$ and Job run length.